AUTHOR INDEX — 1989

A

Aigle M — *See* Velours J *et al*, 903
Akoka S & Tellier C, Calcium and spermine interaction with phospholipid bilayers: a 15N NMR study, 137
Alam A — *See* Shen R-S *et al*, 343
Alfsen A — *See* Nedelec J-F *et al*, 145
Allen J F, Harrison M A & Holmes N G, Protein phosphorylation and control of excitation energy transfer in photosynthetic purple bacteria and cyanobacteria, 1021
Alquier C — *See* Rousset B *et al*, 247
Alsat E — *See* Goldstein S *et al*, 379
Antranikian G & Gottschalk G, Phosphorylation of citrate lyase ligase in *Clostridium sphenoides* and regulation of anaerobic citrate metabolism in other bacteria, 1029
Apell H-J — *See* Henkel T *et al*, 89
Arnberg A C — *See* Van Ommen G J B *et al*, 211
Arrio-Dupont M & Bechet J J, Diffusion-limited kinetics of immobilized myosin ATPase, 833
Arselin G — *See* Velours J *et al*, 903
Atger V — *See* Burstein *et al*, 741
Atkinson T — *See* Stowe D J *et al*, 1101
Audebet C — *See* Rousset B *et al*, 247

B

Baas F — *See* Van Ommen G-J B *et al*, 211
Bachellerie J-P & Michot B, Evolution of large subunit rRNA structure. The 3' terminal domain contains elements of secondary structure specific to major phylogenetic groups, 701
Bachouchi N — *See* Tesi C *et al*, 363
Bachrach L K — *See* Prat M A C *et al*, 227
Baraud J — *See* Maurice A *et al*, 373
Barbu V — *See* Goldstein S *et al*, 379
Barman T — *See* Tesi C *et al*, 363
Barra D — *See* De Biase D *et al*, 491
Barritault D — *See* Mereau A *et al*, 865
Bassilana M — *See* Leblanc G *et al*, 969
Baty D — *See* Varenne S *et al*, 1219
Bechet J J — *See* Arrio-Dupont M *et al*, 833
Beloeil J-C, Morellet N, Pasquier C, Dauphin G & Jeminet G, Study of a δ–hydroxy ketone-hemiketal equilibrium by 2D-NMR exchange spectroscopy for the antibiotic grisorixin: involvement in cationic transport through membranes, 125
Bennes R — *See* Heitz F *et al*, 83
Benvenga S, Cahnmann H, Gregg R & Robbins J, Binding of thyroxine of human plasma low density lipoprotein through specific interaction with apolipoprotein B (apoB-100), 263
Bereziat G — *See* Olivier J-L *et al*, 105
Bergé-Lefranc J-L — *See* Malthiery Y *et al*, 195
Bernier-Valentin F — *See* Rousset B *et al*, 247
Blasko K, Schagina L V, Gyorgyi S & Ronto G, Properties of gramicidin A channels in erythrocyte membranes, 99
Bleicher F — *See* Cortay J C *et al*, 1043
Bogdanov A A — *See* Kutuzova G D *et al*, 579
Bolard J — *See* Milhaud J *et al*, 49
Bolton J B — *See* De Biase D *et al*, 491
Bonicel J J — *See* De Caro J D *et al*, 1209
Bonmatin J-M — *See* Dufourc E J *et al*, 117
Borkovich K A — *See* Simon M I *et al*, 1013
Bossa F — *See* De Biase D *et al*, 491
Bosselut R — *See* Goldberg Y *et al*, 279
Boulanger P — *See* Letellier L, 167
Bourgeat P — *See* Rousset B *et al*, 247
Bourret R B — *See* Simon M I *et al*, 1013
Brabant G, Ocran K, Ranft U, Von Zur Mühlen A & Hesch R D, Physiological regulation of thyrotropin, 293
Brocas H — *See* Mercken L *et al*, 223
Brown P R — *See* Domingos A *et al*, 1177
Bubunenko M G — *See* Gudkov A T, 779
Bueren J A — *See* Cuenllas E *et al*, 763
Burrow G N — *See* Prat M A C *et al*, 227
Burstein M, Fine A, Atger V, Wirbel E & Girard-Globa A, Rapid method for the isolation of two purified subfractions of high density lipoproteins by differential dextran sulfate-magnesium chloride precipitation, 741
Bystrova M O — *See* Korsakov M V *et al*, 633

C

Cabiaux V, Goormaghtigh E, Wattiez R, Falmagne P & Ruysschaert J-M, 153, Secondary structure changes of diphtheria toxin interacting with asolectin liposomes: an infrared spectroscopy study, 153
Cahnmann H — *See* Benvenga S *et al*, 263
Camougrand N — *See* Guerin M *et al*, 887
Canioni P — *See* Galons J P *et al*, 949
Capuozzo E — ***, Salvi S, Salerno C & Crifo C, Combined effects exerted by amphotericin B and lucensomycin on cation permeability in a unilamellar vesicle system, 57 — ****See* Salerno C *et al*, 63
Carayon P — *See* Prat M A C *et al*, 227
Carrie M L — *See* Torreilles J *et al*, 1229
Cascante M & Cortes A, Kinetic studies of chloride inhibition in aspartate amino-transferase activity, 417
Caubet R — *See* Guerin M *et al*, 887
Cegielska A & Georgopoulos C, Biochemical properties of the *Escherichia coli* dnaK heat shock protein and its mutant derivatives, 1071
Cenatiempo Y — *See* Cortay J C *et al*, 1043
Chachaty C — *See* Olivier J-L *et al*, 105
Charretier E & Wietzerbin J, Intracellular alkalinization induced by amphotericin B derivatives in HL-60

leukemia cells, 67
Cheyrou A — *See* Guerin M *et al*, 887
Chiaruttini C, Milet M, Hayes D H & Expert-Bezançon A, Crosslinking of ribosomal proteins S4, S5, S7, S8, S11, S12 and S18 to domains 1 and 2 of 16S rRNA in the *Escherichia coli* 30S particle, 839
Chich J F — *See* Henry J P *et al*, 963
Chiovato L — *See* Pinchera A *et al*, 237
Chourrout D — *See* Guyomard R *et al*, 857
Christon R — *See* Léger C L *et al*, 159
Chumakov I — *See* Shuster A M *et al*, 599
Churchich J E — *See* Dominici P *et al*, 585
Colorio S — *See* Godinot C *et al*, 917
Cooper A J L & Meister A, An appreciation of Professor Alexander E. Braunstein. The discovery and scope of enzymatic transamination, 387
Cordeau L — *See* Vayssière J LF *et al*, 787
Cornago P, Lopez Zumel M C, Santos L & Pintado M, Semiconservative and unscheduled DNA synthesis on mammalian cells and its modification by glyoxylic compounds, 1203
Cortay J C, Bleicher F, Duclos B, Cenatiempo Y, Gautier C, Prato J L & Cozzone A J, Utilization of acetate in *Escherichia coli:* structural organization and differential expression of the *ace* operon, 1043
Cortes A — *See* Cascante M, 417
Cosic I, Pavlovic M & Vojisavljevic V, Prediction of "hot spot" in interleukin-2 based on informational spectrum characteristics of growth-regulating factors. Comparison with experimental data, 333
Courty J — *See* Mereau A *et al*, 865
Cozzone A J — *See* Cortay J C *et al*, 1043 — *See* Dannelly H K *et al*, 1095
Cozzone P J — *See* Galons J P *et al*, 949
Crawford I P & Eberly L, DNA sequence of the tryptophan synthase genes of *Pseudomonas putida*, 521
Cretin F — *See* Godinot C *et al*, 917
Crifo C — *See* Capuozzo E *et al*, 57 — *See* Salerno C *et al*, 63
Croizat B — *See* Vayssière J LF *et al*, 787
Cucco C — *See* Salerno C *et al*, 63
Cuenllas E, Gaitan S, Bueren J A & Tejero C, Pyruvate kinase during *in vitro* differentiation of GM-CFC haemopoietic precursor in mice: modulation by L-alanine and L-phenylalanine, 763

D

Dannelly H K, Duclos B, Cozzone A J & Reeves H C, Phosphorylation of *Escherichia coli* enolase, 1095
Danzin C — *See* Martinez del Pozzo A *et al*, 505
Dasgupta B R & Foley J Jr., *Botulinum* neurotoxin types A and E: isolated light chain breaks down into two fragments. Comparison of their amino acid sequences with tetanus neurotoxin, 1191
Daumas P — ***, Heitz F, Ranjalahy-Rasoloarijao L & Lazaro R, Gramicidin A analogs: influence of the substitution of the tryptophans by naphthylalanines, 77 — ****See* Heitz F *et al*, 83
Dauphin G — *See* Beloeil J-C *et al*, 125
Daveloose D — *See* Léger C L *et al*, 159
David-Pfeuty T — *See* Guesdon F, 351
Davydov D R — *See* Kurganov B I *et al*, 573
De Biase D, Bolton J B, Barra D, Bossa F & John R A, Stoichiometry and stability of the adduct formed between human 4-aminobutyrate aminotransferase and 4-aminohex-5-enoate: sequence of a labelled peptide, 491
De Caro J D, Guidoni A A, Bonicel J J & Rovery M, The histidines reacting with ethoxyformic anhydride in porcine pancreatic lipase: their relationships with enzyme activity, 1209
De Mazancourt A & Perricaudet M, Expression of rubella virus cDNA encoding the E1 structural porotein, 681
De Vijlder J J M — *See* Van Ommen G-J B *et al*, 211
Degroot L J, Thyroid hormone nuclear receptors and their role in the metabolic action of the hormone, 269
Delamarche C, A homologous domain between the amyloid protein of Alzheimer's disease and the neurofilament subunits, 853
Deleage G — *See* Godinot C *et al*, 917
Delpech M — *See* Levy-Favatier F *et al*, 1157
Demidkina T V & Myagkikh I V, The activity and reaction specificity of tyrosine phenol-lyase regulated by monovalent cations, 565
Der Garabedian P A & Vermeersch J J, Lysine degradation in *Candida*.. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497
Derancourt J — *See* Ferraz C *et al*, 307
Deutscher J — *See* Reizer J *et al*, 989
Deval C — *See* Dufour E *et al*, 565
Di Pietro A, Jault J M, Falson P, Divita G & Gautheron D C, Structure-function relationships of mitochondrial ATPase-ATPsynthase using *Schizosaccharomyces pombe* yeast mutants with altered F1 subunits, 931
Dion M, Rapoport G & Doly J, Expression of the MuIFNα7 gene in *Bacillus subtilis* using the levansucrase system, 747
Divita G — *See* Di Pietro A *et al*, 931
Dode C — *See* Lecompte M F, 175
Doly J — *See* Dion M *et al*, 747
Domingos A, Karmali A & Brown P R, One-step affinity purification of amidase from mutant strains of *Pseudomonas aeruginosa*, 1177
Dominici P, Kwok F & Churchich J E, Proteolytic cleavage of pyridoxal kinase into two structural domains, 585
Drewe W F Jr., Koerber S C & Dunn M F, Application of rapid-scanning, stopped-flow spectroscopy to the characterization of intermediates formed in the reactions of L- and D-tryptophan and β-mercaptoethanol with *Escherichia coli* tryptophan synthase, 509
Duchange N — *See* Le Brun S *et al*, 319
Duclohier H — *See* Spach G *et al*, 11
Duclos B — *See* Cortay J C *et al*, 1043 — *See* Dannelly H K *et al*, 1095
Dufour E, Ouali A, Obled A, Deval C & Valin C, Lysosomal proteinase-sensitive regions in fast and slow skeletal muscle myosins, 625
Dufourc E J, Bonmatin J-M & Dufourq J, Membrane structure and dynamics by ^{2}H- and ^{31}P-NMR. Effects of amphipatic peptidic toxins on phospholipid and biological membranes, 117
Dufourq J — *See* Dufourc E J *et al*, 117
Dunn M F — *See* Drewe W F Jr. *et al*, 509

Durrens P — *See* Velours J *et al*, 903

E

Eberly L — *See* Crawford I P, 5211
Eggo M C — *See* Prat M A C *et al*, 227
Egorov A M — *See* Tishkov V I *et al*, 551
Erdmann V A — *See* Lorenz S *et al*, 1183
Esaki N — *See* Nagata S *et al*, 559
Even V — *See* Léger C L *et al*, 159
Expert-Bezançon A — *See* Chiaruttini C *et al*, 839

F

Falmagne P — *See* Cabiaux V *et al*, 153
Falson P — *See* Di Pietro A *et al*, 931
Fantini J — *See* Galons J P *et al*, 949
Fasella P — *See* Salerno C *et al*, 461
Fenzi G — *See* Pinchera A *et al*, 237
Ferraz C, Derancourt J, Sri Widada J & Liautard J-P, Structural analysis of human skeletal β-tropomyosin produced in *E. coli*, 307
Ferreira R — *See* Panek A D *et al*, 313
Fine A — *See* Burstein *et al*, 741
Foley J Jr. — *See* Dasgupta B R, 1191
Foultier M T, Patrice T, Praloran V, Robillard N & Le Bodic L, Influence of hematoporphyrin derivative concentration, incubation time, temperature during incubation and laser dose fractionation on photosensitivity of normal hemopoietic progenitors or leukemia cells, 819
Franc J-L — *See* Malthiery Y *et al*, 195
Fujita H — *See* Itikawa H *et al*, 1079
Fujiwara S — *See* Kobayashi S *et al*, 471

G

Gabibov A G — *See* Shuster A M *et al*, 599
Gaitan S — *See* Cuenllas E *et al*, 763
Galante M — *See* Velours J *et al*, 903
Galkin A G — *See* Tishkov V I *et al*, 551
Galons J P, Fantini J, Vion-Dury J, Cozzone P J & Canioni P, Metabolic changes in undifferentiated and differentiated human colon adenocarcinoma cells studied by multinuclear magnetic resonance spectroscopy, 949
Gamby C — *See* Mereau A *et al*, 865
Gary-Bobo C M, Polyene—sterol interaction and selective toxicity, 37
Gaudemer Y — *See* Montrichard F *et al*, 813
Gautheron D C — *See* Di Pietro A *et al*, 931
Gautier C — *See* Cortay J C *et al*, 1043
Georgopoulos C — *See* Cegielska A, 1071
Ghysdael J — *See* Goldberg Y *et al*, 279
Girard-Globa A — *See* Burstein *et al*, 741
Glineur C — *See* Goldberg Y *et al*, 279
Godinot C, Colorio S, Cretin F, Inçaurgarat B, Deleage G & Roux B, Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917
Goldberg M E — *See* Murry-Brelier A, 533
Goldberg Y, Glineur C, Bosselut R & Ghysdael J, Thyroid hormone action and the *erbA* oncogene-family, 279
Goldschmidt D — *See* Henry J P *et al*, 963
Goldstein S, Moreau M, Barbu V, Meier M, Alsat E, Mazière C, Mazière J-C & Polonovski J, Human placental microvilli as a source of antigen for the preparation of a polyclonal antibody directed against the LDL receptor, 379
Goormaghtigh E — *See* Cabiaux V *et al*, 153
Gottschalk G — *See* Antranikian G, 1029
Grandjean J & Laszlo P, Synergistic effects in PR^{3+} transport mediated by ionophores across phosphatidylcholine vesicles, 183
Gregg R — *See* Benvenga S *et al*, 263
Gros F — *See* Vayssière J LF *et al*, 787
Gudkov A T & Bubunenko M G, Conformational changes in ribosomes upon interaction with elongation factors, 779
Guelin E — *See* Guerin M *et al*, 887
Guerard F & Le Gal Y, Electrophoretic study of the caseinolytic activity of a pepsin from the dogfish *Scyliorhinus canicula*, 767
Guerin B — *See* Velours J *et al*, 903
Guerin M — ***, Camougrand N, Caubet R, Zniber S, Velours G, Manon S, Guelin E & Cheyrou A, The second respiratory chain of *Candida parapsilosis:* a comprehensive study, 887
Guerin M C — *See* Torreilles J *et al*, 1229
Guerin M F — ****See* Petridou B *et al*, 655 — ****See* Petridou B *et al*, 667 — ***, Hayes D H & Rodrigues-Pousada C, Methylated amino acids in the proteins of the cytoplasmic ribosome of *Tetrahymena thermophila*, 805
Guesdon F & David-Pfeuty T, Studies in pig heart tissue on various 60 000 Da phosphoproteins, 351
Guidoni A A — *See* De Caro J D *et al*, 1209
Guyomard R, Chourrout D, Leroux C, Houdebine L M & Pourrain F, Integration and germ line transmission of foreign genes microinjected into fertilized trout eggs, 857
Gyorgyi S — *See* Blasko K *et al*, 99

H

Hanazawa H — *See* Yoshida H, 687
Harnois I, Maget-Dana R & Ptak M, Methylation of the antifungal lipopeptide iturin A modifies its interaction with lipids, 111
Harrison M A — *See* Allen J F *et al*, 1021
Hartmann M A — *See* Milhaud J *et al*, 49
Hartmann R K — *See* Lorenz S *et al*, 1183
Hayakawa K — *See* Oizumi J *et al*, 1162
Hayashi S — *See* Kobayashi S *et al*, 471
Hayes D H — *See* Guerin M F *et al*, 805 — *See* Chiaruttini C *et al*, 839
Hayes F — *See* Petridou B *et al*, 655 — *See* Petridou B *et al*, 667
Heitz F — ***, Kaddari F, Van Mau N, Verducci J, Raniri Seheno H & Lazaro R, Ionic pores formed by cyclic peptides, 71 — ****See* Daumas P *et al*, 77 — ***, Van Mau N, Bennes R, Daumas P & Trudelle Y, Single channels and surface potential of linear gramicidins, 83

Henkel T, Mittler S, Pfeiffer W, Rötzer H, Apell H-J & Knoll W, Lateral order in mixed lipid bilayers and its influence on ion translocation by gramicidin: a model for the structure-function relationship in membranes, 89
Henry J P, Chich J F, Goldschnmidt D & Thieffry M, Ionic mitochondrial channels: characteristics and possible role in protein translocation, 963
Henry M — *See* Malthiery Y *et al*, 195
Hesch R D — *See* Brabant G *et al*, 293
Hess J F — *See* Simon M I *et al*, 1013
Hijazi K A — *See* Tucker S D *et al*, 721
Hiragi Y — *See* Tokushige M *et al*, 711
Hlodan R — *See* McKee J S *et al*, 1059
Holmes N G — *See* Allen J F *et al*, 1021
Honda T — *See* Tokushige M *et al*, 711
Hosoya M — *See* Oizumi J *et al*, 1162
Houdebine L M — *See* Guyomard R *et al*, 857
Hsu L C, Okamoto M & Snell E E, L-Histidinol phosphate aminotransferase from *Salmonella typhimurium*. Kinetic behavior and sequence at the pyridoxal-P binding site, 477
Huynh-Dinh T — *See* Le Brun S *et al*, 319

I

Igolen J — *See* Le Brun S *et al*, 319
Ikeda T P — *See* Laporte D C *et al*, 1051
Inçaurgarat B — *See* Godinot C *et al*, 917
Itikawa H, Wada M, Sekine K & Fujita H, Phosphorylation of glutaminyl-tRNA synthetase and threonyl-tRNA synthetase by the gene products of *dnaK* and *dnaJ* in *Escherichia coli* K-12 cells, 1079
Ito S — *See* Tokushige M *et al*, 711
Ivin B A — *See* Korsakov M V *et al*, 633

J

Jacobi T — *See* Warth E *et al*, 613
Jacobson G R, Lodge J & Poy F, Carbohydrate uptake in the oral pathogen *Streptococcus mutans:* mechanisms and regulation by protein phosphorylation, 997
Jault J M — *See* Di Pietro A *et al*, 931
Jaussi R — *See* Mattes U*et al*, 411
Jeminet G — *See* Beloeil J C *et al*, 125
John R A — *See* De Biase D *et al*, 491
Juretic N — *See* Mattes U*et al*, 411

K

Kaddari F — *See* Heitz F *et al*, 71
Karmali A — *See* Domingos A *et al*, 1177
Kasafirek E — *See* Sedo A *et al*, 757
Kim E H — *See* Tokushige M *et al*, 711
Klein G — *See* Satre M *et al*, 941
Knoll W — *See* Henkel T *et al*, 89
Kobayashi S, Hayashi S, Fujiwara S & Noguchi T, Identity of alanine: glyoxylate aminotransferase with alanine: 2-oxoglutarate aminotransferase in rat liver cytosol, 471
Koerber S C — *See* Drewe W F Jr. *et al*, 509
Korpela T — *See* Kurkijärvi K, 439
Korsakov M V, Bystrova M O, Mironiuk T A, Sinotova E N, Ivin B A, Nefedov V D & Likhachev A J, Methylation of thymine and uracil with free methyl cations formed due to β-decay of tritiated methane: possible implication in mutagenesis and carcinogenesis, 633
Krepela E — *See* Sedo A *et al*, 757
Kruh J — *See* Levy-Favatier F *et al*, 1157
Kurganov B I, Shkarina T N, Malakhova E A, Davydov D R & Chebotareva N A, Kinetics of soybean lipoxygenase reaction in hydrated reversed micelles, 573
Kurkijärvi K & Korpela T, Immobilization of aspartate aminotransferase on agarose, 439
Kutuzova G D, Skripkin E A, Tarasova N I, Ugarova N N & Bogdanov A A, Synthesis and pathway of *Luciola mingrelica* firefly luciferase in *Xenopus laevis* frog oocytes and in cell-free systems, 579
Kvashuk O A — *See* Shuster A M *et al*, 599
Kwok F — *See* Dominici P *et al*, 585

L

Laporte D C, Stueland C S & Ikeda T P, Isocitrate dehydrogenase kinase/phosphatase, 1051
Larcher J C — *See* Vayssière J LF *et al*, 787
Laszlo P — *See* Grandjean J, 183
Lavialle F — *See* Nedelec J-F *et al*, 145
Lazaro R — *See* Heitz F *et al*, 71 — *See* Daumas P *et al*, 77
Lazdunski C — *See* Varenne S *et al*, 1219
Le Brun S, Duchange N, Namane A, Zakin M M, Huynh-Dinh T & Igolen J, Simple chemical synthesis and hybridization properties of non-radioactive DNA probes, 319
Le Gal Y — *See* Guerard F, 767
Leblanc G, Pourcher T & Bassilana M, Molecular biology and bacterial secondary transporters, 969
Lecompte M F & Dode C, Interaction of human γ-carboxyglutamic acid domainless prothrombin with phospholipids, 175
Lee J C — *See* Xiang R H, 1199
Lejeune P J — *See* Malthiery Y *et al*, 195
Lemesle-Meunier D, Studies on the $CoQH_2$-cytochrome *c* reductase segment of the respiratory chain of yeast mitochondria, using mutants of the cytochrome *b* split gene, 1145
Leroux C — *See* Guyomard R *et al*, 857
Lestienne P, Mitochondrial and nuclear DNA complementation in the respiratory chain function and defects, 1115
Letellier L & Boulanger P, Involvement of ion channels in the transport of phage DNA through the cytoplasmic membrane of *E. coli*, 167
Levine Y K — *See* Van Ginkel *et al*, 23
Levy-Favatier F, Tichnonicky L, Kruh J & Delpech M, The protein kinases tightly bound to DNA are present in normal tissues and in regenerating liver, but strongly decreased in hepatomas, 1157
Léger C L, Christon R, Viret J, Daveloose D, Mitjavila S & Even V, Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159

Liautard J-P — *See* Ferraz C *et al*, 307
Likhachev A J — *See* Korsakov M V *et al*, 633
Lindenmann J M — *See* Mattes U *et al*, 411
Lissitzky S — *See* Malthiery Y *et al*, 195
Lodge J — *See* Jacobson G R *et al*, 997
Lopez Zumel M C — *See* Comago P *et al*, 1203
Lorenz S, Hartmann R K, Schultze S, Ulbrich N & Erdmann V A, Structural analysis of prokariotic and eukaryotic 5S rRNAs by RNase H, 1183
Lucano A — *See* Salerno C *et al*, 461

M

Magasanik B, Regulation of transcription of the *glnALG* operon of *Escherichia coli* by protein phosphorylation, 1005
Maget-Dana R — *See* Hamois I *et al*, 111
Malakhova E A — *See* Kurganov B I *et al*, 573
Malgat M — *See* Maurice A *et al*, 373
Malthiery Y, Marriq C, Bergé-Lefranc J-L, Franc J-L, Henry M, Lejeune P-J, Ruf J & Lissitzky S, Thyroglobulin structure and function: recent advances, 195
Mann N H — *See* Stowe D J *et al*, 1101
Manning J M — *See* Martinez del Pozzo A *et al*, 505
Manon S — *See* Guerin M *et al*, 887
Manzini G — *See* Xodo L E *et al*, 793
Marcocci C — *See* Pinchera A *et al*, 237
Mariotti S — *See* Pinchera A *et al*, 237
Marriq C — *See* Malthiery Y *et al*, 195
Marschal P, Reeber A, Neeser J-R, Vincendon G & Zanetta J-P, Carbohydrate and glycoprotein specificity of two endogenous cerebellar lectins, 645
Martell A E — *See* Szpoganicz *et al*, 591
Martin J B — *See* Satre M *et al*, 941
Martinez del Pozzo A, Ueno H, Merola M, Danzin C & Manning J M, γ-Acetylenic-γ-aminobutyrate as an enzyme-activated inhibitor of D-amino acid transaminase, 505
Martini J L & Pochon F, Conformational change at the active center of serine—proteases upon their binding to α_2-macroglobulin, 325
Matsubara H — *See* Shimizu F *et al*, 1169
Mattes U, Jaussi R, Ziak M, Juretic N, Lindenmann J-M & Christen P, Structure of cDNA of cytosolic aspartate aminotransferase of chicken and its expression in *E. coli*, 411
Maurice A, Malgat M & Baraud J, Sidedness of ceramide-phosphoethanolamine synthesis on rat liver plasma membrane, 373
Mazière C — *See* Goldstein S *et al*, 379
Mazière J C — *See* Goldstein S *et al*, 379
McKee J S, Hlodan R & Nimmo H G, Studies of the phosphorylation of *Escherichia coli* isocitrate dehydrogenase. Recognition of the enzyme by isocitrate dehydrogenase kinase/phosphatase and effects of phosphorylation on its structure and properties, 1059
Meier M — *See* Goldstein S *et al*, 379
Meister A — *See* Cooper A J L, 387
Mercier J C — *See* Provot C *et al*, 827
Mercken L O Y — *See* Van Ommen G J B *et al*, 211
Mercken L, Simons M-J, Brocas H & Vassart G, Alternative splicing may be responsible for heterogeneity of thyroglobulin structure, 223
Mereau A, Pieri I, Gamby C, Courty J & Barritault D, Purification of basic fibroblast growth factor receptors from bovine brain, 865
Merola M — *See* Martinez del Pozzo A *et al*, 505
Michot B — *See* Bachellerie J-P *et al*, 701
Milet M — *See* Chiaruttini C *et al*, 839
Milhaud J, Hartmann M-A & Bolard J, Interaction of the polyene antibiotic amphotericin B with model membranes: differences between small and large unilamellar vesicles, 49
Mironiuk T A — *See* Korsakov M V *et al*, 633
Misono H — *See* Nagata S *et al*, 559
Mitjavila S — *See* Léger C L *et al*, 159
Mittler S — *See* Henkel T *et al*, 89
Molle G — *See* Spach G *et al*, 11
Montrichard F, Pugin A & Gaudemer Y, Inhibition of the vacuolar ATPase of *Acer pseudoplatanus* cells by vanadate, 813
Moreau M — *See* Goldstein S *et al*, 379
Morellet N — *See* Beloeil J-C *et al*, 125
Munari-Silem Y — *See* Rousset B *et al*, 247
Murgola E J — *See* Tucker S D *et al*, 721 — *See* Tucker S D *et al*, 729
Murry-Brelier A & Goldberg M E, A physical-chemical and immunological comparison shows that native and renatured *Escherichia coli* tryptophan synthase β_2 subunits are identical, 533
Myagkikh I V — *See* Demidkina T V *et al*, 565

N

Nagasaki S — *See* Nagata S *et al*, 559
Nagata S, Misono H, Nagasaki S, Esaki N, Tanaka H & Soda K, Thermostable alanine dehydrogenase of *Bacillus* sp. DSM730: gene cloning, purification, and characterization, 559
Namane A — *See* Le Brun S *et al*, 319
Nedelec J-F, Alfsen A & Lavialle F, Comparative study of myelin proteolipid apoprotein solvation by multilayer membranes of synthetic DPPC and biological lipid extract from bovine brain. An FT-IR investigation, 145
Neeser J R — *See* Marschall P *et al*, 645
Nefedov V D — *See* Korsakov M V *et al*, 633
Nimmo H G — *See* McKee J S *et al*, 1059
Niu S — *See* Yagi T *et al*, 427
Noguchi T — *See* Kobayashi S *et al*, 471
Nozaki M — *See* Yagi T *et al*, 427

O

Obled A — *See* Dufour E *et al*, 565
Ocran K — *See* Brabant G *et al*, 293
Oda T — *See* Tokushige M *et al*, 711
Ogata M — *See* Shimizu F *et al*, 1169
Oizumi J, Hayakawa K & Hosoya M, Comparative study on human milk and serum biotinidase, 1162
Okamoto M — *See* Hsu LC *et al*, 477
Okawa K — *See* Yagi T *et al*, 427
Oliver G — *See* Ragout A *et al*, 639
Olivier J-L, Chachaty C, Wolf C & Bereziat G, Influence of

PAF-acether on lecithin-oriented multibilayers monitored by ESR: interaction of PAF-acether with cholesterol, 105
Orelle B — *See* Rousset B *et al*, 247
Ouali A — *See* Dufour E *et al*, 565

P

Pagel F T — *See* Tucker S D *et al*, 729
Pairoba C F & Vallejos R H, Protein phosphorylation in purple photosynthesic bacteria, 1039
Panek A C — *See* Panek A D *et al*, 313
Panek A D, Ferreira R & Panek A C, Comparative studies between the glucose-induced phosphorylation signal and the heat shock response in mutants of *Saccharomyces cerevisiae*, 313
Pasquier C — *See* Beloeil J-C *et al*, 125
Patrice T — *See* Foultier M T *et al*, 819
Paul M F — *See* Velours J *et al*, 903
Pavlovic M — *See* Cosic I *et al*, 333
Perricaudet M — *See* De Mazancourt A, 681
Persuy M A — *See* Provot C *et al*, 827
Pesce de Ruiz Holgado A — *See* Ragout A *et al*, 639
Petridou B — ***, Guerin M F & Hayes F, Ribosomal proteins of *Tetrahymena thermophila*. Correlation of one- and two-dimensional electrophoretic migration patterns and characterization of additional small and large subunit proteins, 655 — ***, Guerin M F & Hayes F, Protein-RNA crosslinking in the subunits of the cytoplasmic ribosome of *Tetrahymena thermophila*, 667
Pfeiffer W — *See* Henkel T *et al*, 89
Pieri I — *See* Mereau A *et al*, 865
Pinchera A, Mariotti S, Vitti P, Marcocci C, Chiovato L, Fenzi G & Santini F, Thyroid autoantigens and their relevance in the pathogenesis of thyroid autoimmunity, 237
Pintado M — *See* Comago P *et al*, 1203
Pochon F — *See* Martini J-L, 325
Polonovski J — *See* Goldstein S *et al*, 379
Pourcher T — *See* Leblanc G *et al*, 969
Pourrain F — *See* Guyomard R *et al*, 857
Poy F — *See* Jacobson G R *et al*, 997
Praloran V — *See* Foultier M T *et al*, 819
Prassolov V S — *See* Shuster A M *et al*, 599
Prato J L — *See* Cortay J C *et al*, 1043
Prats M, Tocanne J-F & Teissié J, Lateral proton conduction along a lipid—water interface layer: a molecular mechanism for the role of hydration water molecules, 33
Pratt M A C, Eggo M C, Bachrach L K, Carayon P & Burrow G N, Regulation of thyroperoxidase, thyroglobulin and iodide levels in sheep thyroid cells by TSH, tumor promoters and epidermal growth factor, 227
Provot C, Persuy M A & Mercier J C, Complete nucleotide sequence of ovine β-casein cDNA: inter-species comparison, 827
Ptak M — *See* Harnois I *et al*, 111
Pugin A — *See* Montrichard F *et al*, 813

Q

Quadrifoglio F — *See* Xodo L E *et al*, 793

R

Rabilloud R — *See* Rousset B *et al*, 247
Ragout A, Pesce de Ruiz Holgado A, Oliver G & Sineriz F, Presence of an L(+)-lactate dehydrogenase in cells of *Lactobacillus delbrueckii* ssp.*bulgaricus*, 639
Ranft U — *See* Brabant G *et al*, 293
Raniri Seheno H — *See* Heitz F *et al*, 71
Ranjalahy-Rasoloarijao L — *See* Daumas P *et al*, 77
Rapoport G — *See* Dion M *et al*, 747
Reeber A — *See* Marschall P *et al*, 645
Reeves H C — *See* Robertson E F, 1065 — *See* Dannelly H K *et al*, 1095
Reizer J, Deutscher J & Saier M H Jr, Metabolite-sensitive, ATP-dependent, protein kinase-catalyzed phosphorylation of HPr, a phosphocarrier protein of the phosphotransferase system in Gram-positive bacteria, 989
Robbins J — *See* Benvenga S *et al*, 263
Robertson E F & Reeves H C, Phosphorylation of isocitrate lyase in *Escherichia coli*, 1065
Robillard N — *See* Foultier M T *et al*, 819
Rodrigues-Pousada C — *See* Guerin M F *et al*, 805
Ronto G — *See* Blasko K *et al*, 99
Rousset B, Selmi S, Alquier C, Bourgeat P, Orelle B, Audebet C, Rabilloud R, Bernier-Valentin F & Munari-Silem Y, *In vitro* studies of the thyroglobulin degradation pathway: endocytosis and delivery of thyroglobulin to lysosomes, release of thyroglobulin cleavage products — iodotyrosines and iodothyronines, 247
Roux B — *See* Godinot C *et al*, 917
Rovery M — *See* De Caro J D *et al*, 1209
Rötzer H — *See* Henkel T *et al*, 89
Ruf J — *See* Malthiery Y *et al*, 195
Ruysschaert J M — *See* Cabiaux V *et al*, 153

S

Saier M H Jr — *See* Reizer J *et al*, 989
Sakharova I S — *See* Zakomirdina L N *et al*, 545
Salerno C — ****See* Capuozzo E *et al*, 57 — ***, Capuozzo E, Cucco C & Crifo C, Interaction of lucensomycin with membranes: the role of non-steroidal components, 63 — ***, Lucano A & Fasella P, Pyridoxal phosphate-dependent reactions in water pools, 461
Salvi S — *See* Capuozzo E *et al*, 57
Santini F — *See* Pinchera A *et al*, 237
Santos L — *See* Comago P *et al*, 1203
Satre M, Martin J B & Klein G, Methyl phosphonate as a ^{31}P-NMR probe for intracellular pH measurements in *Dictyostelium amoebae*, 941
Schagina L V — *See* Blasko K *et al*, 99
Schultze S — *See* Lorenz S *et al*, 1183

Schwarz G, Thermodynamics and kinetics of incorporation into a membrane, 3
Sedo A, Krepela E & Kasafirek E, A kinetic fluorometric assay of dipeptidyl peptidase IV in viable human blood mononuclear cells, 757
Sekine K — *See* Itikawa H *et al*, 1079
Selmi S — *See* Rousset B *et al*, 247
Shen R-S, Alam A & Zhang Y, Human liver GTP cyclohydrolase I: purification and some properties, 343
Shimizu F, Ogata M, Yagi T, Wakabayashi S & Matsubara H, Amino acid sequence and function of rubredoxin from *Desulfovibrio vulgaris* Miyazaki, 1169
Shire D — *See* Varenne S *et al*, 1219
Shkarina T N — *See* Kurganov B I *et al*, 573
Shuster A M, Kvashuk O A, Chumakov I, Prassolov V S & Gabibov A G, Cystathionase: high-performance liquid chromatography. Molecular cloning in λgt11. Nonradioactive immunodetection of fusion protein, 599
Simon M I, Borkovich K A, Bourret R B & Hess J F, Protein phosphorylation in the bacterial chemotaxis system, 1013
Simons M J — *See* Mercken L *et al*, 223
Sineriz F — *See* Ragout A *et al*, 639
Sinotova E N — *See* Korsakov M V *et al*, 633
Skorko R, Polyphosphate as a source of phosphoryl group in protein modification in the archaebacterium *Sulfolobus acidocaldarius*, 1089
Skripkin E A — *See* Kutuzova G D *et al*, 579
Snell E E — *See* Hsu LC *et al*, 477
Soda K — *See* Nagata S *et al*, 559
Spach G, Duclohier H, Molle G & Valleton J-M, Structure and supramolecular architecture of membrane channel-forming peptides, 11
Sri Widada J — *See* Ferraz C *et al*, 307
Sterk A — *See* Van Ommen G-J B *et al*, 211
Stowe D J, Atkinson T & Mann N H, Protein kinase activities in cell-free extracts of *Streptomyces coelicolor* A3(2), 1101
Stueland C S — *See* Laporte D C *et al*, 1051
Szpoganicz B & Martell A E, Comparative mechanisms of vitamin B_6-catalyzed β-decarboxylation and β-dephosphonylation in model systems, 591

T

Tanaka H — *See* Nagata S *et al*, 559
Tarasova N I — *See* Kutuzova G D *et al*, 579
Teissié J — *See* Prats M *et al*, 33
Tejero C — *See* Cuenllas E *et al*, 763
Tellier C — *See* Akoka S, 137
Terry Jenkins W, Thermodynamic bookkeeping: a reinvestigation of proton and dicarboxylic acid binding to aspartate aminotransferase, 405
Tesi C, Bachouchi N, Barman T & Travers F, Cryoenzymic studies on myosin: transient kinetic evidence for two types of head with different ATP binding properties, 363
Thieffry M — *See* Henry J P *et al*, 963
Tichnonicky L — *See* Levy-Favatier F *et al*, 1157
Tishkov V I, Galkin A G & Egorov A M, Kinetic isotope effect and the presteady-state kinetics of the reaction catalyzed by the bacterial formate dehydrogenase, 551
Tocanne J-F — *See* Prats M *et al*, 33
Tokushige M, Tsujimoto N, Oda T, Honda T, Yumoto N, Ito S, Yamamoto M, Kim E H & Hiragi Y, Role of cysteine residues in tryptophanase for monovalent cation-induced activation, 711
Torchinsky Y M — *See* Zakomirdina L N *et al*, 545
Torreilles J, Guerin M C & Carrie M L, Murexide bleaching: a new direct assay method for characterizing reactive oxygen species, 1229
Travers F — *See* Tesi C *et al*, 363
Trudelle Y — *See* Heitz F *et al*, 83
Tsujimoto N — *See* Tokushige M *et al*, 711
Tucker S D — ***, Murgola E J & Hijazi K A, Reversion of *trpA* nonsense mutations by deletion of the chain-termination codons, 721 — ***, Murgola E J & Pagel F T, Missense and nonsense suppressors can correct frameshift mutations, 729

U

Ueno H — *See* Martinez del Pozzo A *et al*, 505
Ugarova N N — *See* Kutuzova G D *et al*, 579
Ulbrich N — *See* Lorenz S *et al*, 1183

V

Valin C — *See* Dufour E *et al*, 565
Vallejos R H — *See* Pairoba C F, 1039
Valleton J-M — *See* Spach G *et al*, 11
Van Boom J H — *See* Xodo L E *et al*, 793
Van der Marel G — *See* Xodo L E *et al*, 793
Van Ginkel G, Van Langen H & Levine Y K, The membrane fluidity concept revisited by polarized fluorescence spectroscopy on different model membranes containing unsaturated lipids and sterols, 23
Van Langen H — *See* Van Ginkel *et al*, 23
Van Mau N — *See* Heitz F *et al*, 71 — *See* Heitz F *et al*, 83
Van Ommen G J B, Sterk A, Mercken L O Y, Arnberg A C, Baas F & De Vijlder J JM, Studies on the structures of the normal and abnormal goat thyroglobulin genes, 211
Varenne S, Baty D, Verheij H, Shire D & Lazdunski C, The maximum rate of gene expression is dependent on the downstream context of unfavorable codons, 1219
Vassart G — *See* Mercken L *et al*, 223
Vayssière J L, Cordeau L, Larcher J C, Gros F & Croizat B, Tissue-specific mitochondrial proteins, 787
Velours G — *See* Guerin M *et al*, 887
Velours J, Arselin G, Paul M F, Galante M, Durrens P, Aigle M & Guerin B, The yeast ATP synthase subunit 4: structure and function, 903
Verducci J — *See* Heitz F *et al*, 71
Verheij H — *See* Varenne S *et al*, 1219
Vermeersch J J — *See* Der Garabedian P A *et al*, 497
Vincendon G — *See* Marschall P *et al*, 645
Vion-Dury J — *See* Galons J P *et al*, 949
Viret J — *See* Léger C L *et al*, 159
Vitti P — *See* Pinchera A *et al*, 237
Vojisavljevic V — *See* Cosic I *et al*, 333
Von Zur Mühlen A — *See* Brabant G *et al*, 293

W

Wada M — *See* Itikawa H *et al*, 1079
Wakabayashi S — *See* Shimizu F *et al*, 1169
Warth E, Jacobi T & Woenckhaus C, Preparation and properties of a holo-lactate dehydrogenase enzyme reactor, 613
Wattiez R — *See* Cabiaux V *et al*, 153
Westerhoff H V, Control, regulation and thermodynamics of free-energy transduction, 877
Wietzerbin J — *See* Charretier E, 67
Wirbel E — *See* Burstein *et al*, 741
Woenckhaus C — *See* Warth E *et al*, 613
Wolf C — *See* Olivier J-L *et al*, 105

X

Xiang R H & Lee J C, Identification of proteins crosslinked to RNA in 40S ribosomal subunits of *Saccharomyces cerevisiae*, 1199
Xodo L E, Manzini G, Quadrifoglio F, van der Marel G & van Boom J H, Hairpin structures in synthetic oligodeoxynucleotides: sequence effects on the duplex-to-hairpin transition, 793

Y

Yagi T — ***, Niu S, Okawa K, Yamamoto S & Nozaki M, Intracellular predominance of the pyridoxal 5'-phosphate form of aspartate aminotransferase in *Escherichia coli* B and reversible transformation of this form by extracellular substances, 427 — ****See* Shimizu F *et al*, 1169
Yamagata S, Roles of *O*-acetyl-L-homoserine sulfhydrylases in micro-organisms, 1125
Yamamoto M — *See* Tokushige M *et al*, 711
Yamamoto S — *See* Yagi T *et al*, 427
Yoshida H & Hanazawa H, Carboxymethylation of an active site glutamic acid residue of ribonuclease F_1 with iodoacetate, 687
Yumoto N — *See* Tokushige M *et al*, 711

Z

Zakin M M — *See* Le Brun S *et al*, 319
Zakomirdina L N, Sakharova I S & Torchinsky Y M, Conformational changes in the active site of tryptophanase revealed by the circular dichroism method, 545
Zanetta J-P — *See* Marschall P *et al*, 645
Zhang Y — *See* Shen R-S *et al*, 343
Ziak M — *See* Mattes U*et al*, 411
Zniber S — *See* Guerin M *et al*, 887

KEYWORD INDEX — 1989

A

***Ace* operon** — Utilization of acetate in *Escherichia coli:* structural organization and differential expression of the *ace* operon, 1043

***Acer pseudoplatanus* cells** — Inhibition of the vacuolar ATPase of *Acer pseudoplatanus* cells by vanadate, 813

Acetate utilization — Utilization of acetate in *Escherichia coli:* structural organization and differential expression of the *ace* operon, 1043

Acetylation-deacylation — Phosphorylation of citrate lyase ligase in *Clostridium sphenoides* and regulation of anaerobic citrate metabolism in other bacteria, 1029

Acid-denaturation — A physical-chemical and immunological comparison shows that native and renatured *Escherichia coli* tryptophan synthase β_2 subunits are identical, 533

Active site — Immobilization of aspartate aminotransferase on agarose, 439 — DNA sequence of the tryptophan synthase genes of *Pseudomonas putida*, 521

Active site histidine — The histidines reacting with ethoxyformic anhydride in porcine pancreatic lipase: their relationships with enzyme activity, 1209

Active site sequence — Stoichiometry and stability of the adduct formed between human 4-aminobutyrate aminotransferase and 4-aminohex-5-enoate: sequence of a labelled peptide, 491

Addressing sequence — Ionic mitochondrial channels: characteristics and possible role in protein translocation, 963

Affinity chromatography — Purification of basic fibroblast growth factor receptors from bovine brain, 865 — One-step affinity purification of amidase from mutant strains of *Pseudomonas aeruginosa*, 1177

Agarose — Immobilization of aspartate aminotransferase on agarose, 439

Alamethicin — Thermodynamics and kinetics of incorporation into a membrane, 3

Alanine aminotransferase — An appreciation of Professor Alexander E. Braunstein. The discovery and scope of enzymatic transamination, 387

Alanine dehydrogenase — Thermostable alanine dehydrogenase of *Bacillus* sp. DSM730: gene cloning, purification, and characterization, 559 — Preparation and properties of a holo-lactate dehydrogenase enzyme reactor, 613

Alanine: glyoxylate aminotransferase — Identity of alanine: glyoxylate aminotransferase with alanine: 2-oxoglutarate aminotransferase in rat liver cytosol, 471

Alanine: 2-oxoglutarate aminotransferase — Identity of alanine: glyoxylate aminotransferase with alanine: 2-oxoglutarate aminotransferase in rat liver cytosol, 471

Alternative oxidase — The second respiratory chain of *Candida parapsilosis:* a comprehensive study, 887

Alternative splicing — Alternative splicing may be responsible fot heterogeneity of thyroglobulin structure, 223

Aluminium — A homologous domain between the amyloid protein of Alzheimer's disease and the neurofilament subunits, 853

Alzmheimer's disease — A homologous domain between the amyloid protein of Alzheimer's disease and the neurofilament subunits, 853

Amidase purification — One-step affinity purification of amidase from mutant strains of *Pseudomonas aeruginosa*, 1177

Amino acid sequence — Amino acid sequence and function of rubredoxin from *Desulfovibrio vulgaris* Miyazaki, 1169

D-Amino acids — γ-Acetylenic-γ-aminobutyrate as an enzyme-activated inhibitor of D-amino acid transaminase, 505

Aminobutyrate aminotransferase — Stoichiometry and stability of the adduct formed between human 4-aminobutyrate aminotransferase and 4-aminohex-5-enoate: sequence of a labelled peptide, 491

4-Aminobutyrate — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497

Aminocarboxylic acids — Comparative mechanisms of vitamin B_6-catalyzed β-decarboxylation and β-dephosphonylation in model systems, 591

Aminohexenoate — Stoichiometry and stability of the adduct formed between human 4-aminobutyrate aminotransferase and 4-aminohex-5-enoate: sequence of a labelled peptide, 491

Aminophosphonic acids — Comparative mechanisms of vitamin B_6-catalyzed β-decarboxylation and β-dephosphonylation in model systems, 591

Aminotransferases — An appreciation of Professor Alexander E. Braunstein. The discovery and scope of enzymatic transamination, 387 — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497

δ-Aminovalerate — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497

Amphotericin B — Interaction of the polyene antibiotic amphotericin B with model membranes: differences

between small and large unilamellar vesicles, 49 — Combined effects exerted by amphotericin B and lucensomycin on cation permeability in a unilamellar vesicle system, 57 — Intracellular alkalinization induced by amphotericin B derivatives in HL-60 leukemia cells, 67

Amphotericin B derivatives — Polyene—sterol interaction and selective toxicity, 37

Amyloid — A homologous domain between the amyloid protein of Alzheimer's disease and the neurofilament subunits, 853

Analytical method — Murexide bleaching: a new direct assay method for characterizing reactive oxygen species, 1229

Antibiotic — Methylation of the antifungal lipopeptide iturin A modifies its interaction with lipids, 111

Antithrombin — Simple chemical synthesis and hybridization properties of non-radioactive DNA probes, 319

Apolipoprotein B-100 — Binding of thyroxine of human plasma low density lipoprotein through specific interaction with apolipoprotein B (apoB-100), 263

Apolipoproteins — Binding of thyroxine of human plasma low density lipoprotein through specific interaction with apolipoprotein B (apoB-100), 263

Archaebacterium — Polyphosphate as a source of phosphoryl group in protein modification in the archaebacterium *Sulfolobus acidocaldarius*, 1089

Argon laser — Influence of hematoporphyrin derivative concentration, incubation time, temperature during incubation and laser dose fractionation on photosensitivity of normal hemopoietic progenitors or leukemia cells, 819

Aromatic effect — Gramicidin A analogs: influence of the substitution of the tryptophans by naphthylalanines, 77

Asolectin liposomes — Secondary structure changes of diphtheria toxin interacting with asolectin liposomes: an infrared spectroscopy study, 153

Aspartate aminotransferase — An appreciation of Professor Alexander E. Braunstein. The discovery and scope of enzymatic transamination, 387 — Kinetic studies of chloride inhibition in aspartate aminotransferase activity, 417 — Intracellular predominance of the pyridoxal 5'-phosphate form of aspartate aminotransferase in *Escherichia coli* B and reversible transformation of this form by extracellular substances, 427 — Immobilization of aspartate aminotransferase on agarose, 439 — Pyridoxal phosphate-dependent reactions in water pools, 461

ATP hydrolysis — Diffusion-limited kinetics of immobilized myosin ATPase, 833

ATP synthase — The yeast ATP synthase subunit 4: structure and function, 903

***ATP4* gene** — The yeast ATP synthase subunit 4: structure and function, 903

ATPase — Cryoenzymic studies on myosin: transient kinetic evidence for two types of head with different ATP binding properties, 363 — Biochemical properties of the *Escherichia coli* dnaK heat shock protein and its mutant derivatives, 1071

ATPase-ATPsynthase — Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917 — Structure-function relationships of mitochondrial ATPase-ATPsynthase using *Schizosaccharomyces pombe* yeast mutants with altered F1 subunits, 931

ATPase activity — Structure-function relationships of mitochondrial ATPase-ATPsynthase using *Schizosaccharomyces pombe* yeast mutants with altered F1 subunits, 931

Autoimmunity — Thyroid autoantigens and their relevance in the pathogenesis of thyroid autoimmunity, 237

Autophosphorylation — Biochemical properties of the *Escherichia coli* dnaK heat shock protein and its mutant derivatives, 1071

Avidin-biotin immunodetection — Cystathionase: high-performance liquid chromatography. Molecular cloning in λgt11. Nonradioactive immunodetection of fusion protein, 599

B

Bacillus subtilis — Expression of the MuIFNα7 gene in *Bacillus subtilis* using the levansucrase system, 747

Bacteria — Involvement of ion channels in the transport of phage DNA through the cytoplasmic membrane of *E. coli*, 167

Bacterial cell wall — γ-Acetylenic-γ-aminobutyrate as an enzyme-activated inhibitor of D-amino acid transaminase, 505

Bacterial chemotaxis — Protein phosphorylation in the bacterial chemotaxis system, 1013

Bacterial permeases — Molecular biology and bacterial secondary transporters, 969

Bacterial phosphotransferase system — Carbohydrate uptake in the oral pathogen *Streptococcus mutans:* mechanisms and regulation by protein phosphorylation, 997

Band-shape analysis — — Pyridoxal phosphate-dependent reactions in water pools, 461

bFGF receptors — Purification of basic fibroblast growth factor receptors from bovine brain, 865

Bifunctional protein — Isocitrate dehydrogenase kinase/phosphatase, 1051

Binding — Polyene—sterol interaction and selective toxicity, 37

Bioenergetics — Thermodynamic bookkeeping: a reinvestigation of proton and dicarboxylic acid binding to aspartate aminotransferase, 405 — Molecular biology and bacterial secondary transporters, 969

Biosynthesis — Sidedness of ceramide-phosphoethanolamine synthesis on rat liver plasma membrane, 373

Biotechnology — The maximum rate of gene expression is dependent on the downstream context of unfavorable codons, 1219

Biotin — Simple chemical synthesis and hybridization properties of non-radioactive DNA probes, 319

Biotinidase — Comparative study on human milk and serum biotinidase, 1162

Blood mononuclear cells — A kinetic fluorometric

assay of dipeptidyl peptidase IV in viable human blood mononuclear cells, 757

***Botulinum* type A and E neurotoxin** — *Botulinum* neurotoxin types A and E: isolated light chain breaks down into two fragments. Comparison of their amino acid sequences with tetanus neurotoxin, 1191

3 Bp deletion — Reversion of *trpA* nonsense mutations by deletion of the chain-termination codons, 721

21 Bp deletion — Reversion of *trpA* nonsense mutations by deletion of the chain-termination codons, 721

Bromphenol blue — Immobilization of aspartate aminotransferase on agarose, 439

C

c-*erb A* — Thyroid hormone nuclear receptors and their role in the metabolic action of the hormone, 269

c-*src* products — Studies in pig heart tissue on various 60 000 Da phosphoproteins, 351

Ca^{2+} calmodulin — Protein kinase activities in cell-free extracts of *Streptomyces coelicolor* A3(2), 1101

Calcium — Calcium and spermine interaction with phospholipid bilayers: a 15N NMR study, 137

Candida — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497

Carbodiimide — Protein-RNA crosslinking in the subunits of the cytoplasmic ribosome of *Tetrahymena thermophila*, 667

Carboxyfluorescein release — Interaction of the polyene antibiotic amphotericin B with model membranes: differences between small and large unilamellar vesicles, 49

Carcinogenesis — Methylation of thymine and uracil with free methyl cations formed due to β-decay of tritiated methane: possible implication in mutagenesis and carcinogenesis, 633

Casein — Electrophoretic study of the caseinolytic activity of a pepsin from the dogfish *Scyliorhinus canicula*, 767

Casein subfractions — Electrophoretic study of the caseinolytic activity of a pepsin from the dogfish *Scyliorhinus canicula*, 767

Cathepsins — Lysosomal proteinase-sensitive regions in fast and slow skeletal muscle myosins, 625

Cation — Molecular biology and bacterial secondary transporters, 969

Cation complexes — Ionic pores formed by cyclic peptides, 71

Cation permeability — Properties of gramicidin A channels in erythrocyte membranes, 99

cDNA — Expression of rubella virus cDNA encoding the E1 structural porotein, 681

cDNA expression — Structure of cDNA of cytosolic aspartate aminotransferase of chicken and its expression in *E. coli*, 411

cDNA sequence — Complete nucleotide sequence of ovine β-casein cDNA: inter-species comparison, 827

Cell recognition — Carbohydrate and glycoprotein specificity of two endogenous cerebellar lectins, 645

Cell surface — A kinetic fluorometric assay of dipeptidyl peptidase IV in viable human blood mononuclear cells, 757

Cell-free systems — Synthesis and pathway of *Luciola mingrelica* firefly luciferase in *Xenopus laevis* frog oocytes and in cell-free systems, 579

Center i and center o inhibitors — Studies on the $CoQH_2$-cytochrome *c* reductase segment of the respiratory chain of yeast mitochondria, using mutants of the cytochrome *b* split gene, 1145

Ceramide-phosphoethanolamine — Sidedness of ceramide-phosphoethanolamine synthesis on rat liver plasma membrane, 373

Channel inactivation — Properties of gramicidin A channels in erythrocyte membranes, 99

Channels — Involvement of ion channels in the transport of phage DNA through the cytoplasmic membrane of *E. coli*, 167

Chemical modification — Carboxymethylation of an active site glutamic acid residue of ribonuclease F_1 with iodoacetate, 687

β-Chloralanine — L-Histidinol phosphate aminotransferase from *Salmonella typhimurium*. Kinetic behavior and sequence at the pyridoxal-P binding site, 477

Chloride inhibition — Kinetic studies of chloride inhibition in aspartate amino-transferase activity, 417

Cholesterol — Interaction of lucensomycin with membranes: the role of non-steroidal components, 63

Cholesterol and ergosterol — Interaction of the polyene antibiotic amphotericin B with model membranes: differences between small and large unilamellar vesicles, 49

Chromatophore membrane — Protein phosphorylation and control of excitation energy transfer in photosynthetic purple bacteria and cyanobacteria, 1021

Chymosin — Electrophoretic study of the caseinolytic activity of a pepsin from the dogfish *Scyliorhinus canicula*, 767

Chymotrypsin — Conformational change at the active center of serine—proteases upon their binding to α_2-macroglobulin, 325

Circadian rhythm — Physiological regulation of thyrotropin, 293

Circular dichroism — Interaction of the polyene antibiotic amphotericin B with model membranes: differences between small and large unilamellar vesicles, 49 — Conformational changes in the active site of tryptophanase revealed by the circular dichroism method, 545 — Studies of the phosphorylation of *Escherichia coli* isocitrate dehydrogenase. Recognition of the enzyme by isocitrate dehydrogenase kinase/phosphatase and effects of phosphorylation on its structure and properties, 1059

Citrate metabolism — Phosphorylation of citrate lyase ligase in *Clostridium sphenoides* and regulation of anaerobic citrate metabolism in other bacteria, 1029

Codon context — The maximum rate of gene expression is dependent on the downstream context of unfavorable codons, 1219

Codon usage — The maximum rate of gene expression is

dependent on the downstream context of unfavorable codons, 1219
Coenzyme orientation — Conformational changes in the active site of tryptophanase revealed by the circular dichroism method, 545
Complex III — Studies on the $CoQH_2$-cytochrome *c* reductase segment of the respiratory chain of yeast mitochondria, using mutants of the cytochrome *b* split gene, 1145
Conformation — Ionic pores formed by cyclic peptides, 71
Conformation of ribosomes and of L7/L12 proteins — Conformational changes in ribosomes upon interaction with elongation factors, 779
Continuous culture — Presence of an L(+)-lactate dehydrogenase in cells of *Lactobacillus delbrueckii* ssp.*bulgaricus*, 639
Control of secretion — Physiological regulation of thyrotropin, 293
Coupling — Control, regulation and thermodynamics of free-energy transduction, 877
Cross-linking — Preparation and properties of a holo-lactate dehydrogenase enzyme reactor, 613 — Protein-RNA crosslinking in the subunits of the cytoplasmic ribosome of *Tetrahymena thermophila*, 667 — Identification of proteins crosslinked to RNA in 40S ribosomal subunits of *Saccharomyces cerevisiae*, 1199
Cryoenzymology — Cryoenzymic studies on myosin: transient kinetic evidence for two types of head with different ATP binding properties, 363
Cyclopeptides — Ionic pores formed by cyclic peptides, 71
Cystathionase — Cystathionase: high-performance liquid chromatography. Molecular cloning in λgt11. Nonradioactive immunodetection of fusion protein, 599
Cystathioninuria — Cystathionase: high-performance liquid chromatography. Molecular cloning in λgt11. Nonradioactive immunodetection of fusion protein, 599
Cytochrome *b* — Studies on the $CoQH_2$-cytochrome *c* reductase segment of the respiratory chain of yeast mitochondria, using mutants of the cytochrome *b* split gene, 1145
Cytochrome *c*-553 — Amino acid sequence and function of rubredoxin from *Desulfovibrio vulgaris* Miyazaki, 1169
Cytoplasmic microinjection — Integration and germ line transmission of foreign genes microinjected into fertilized trout eggs, 857
Cytosolic aspartate aminotransferase — Structure of cDNA of cytosolic aspartate aminotransferase of chicken and its expression in *E. coli*, 411

D

Decarboxylation — Comparative mechanisms of vitamin B_6-catalyzed β-decarboxylation and β-dephosphonylation in model systems, 591
Deletion — Mitochondrial and nuclear DNA complementation in the respiratory chain function and defects, 1115
Delta hemolysin — Membrane structure and dynamics by ^2H- and ^{31}P-NMR. Effects of amphipatic peptidic toxins on phospholipid and biological membranes, 117
Dephosphonylation — Comparative mechanisms of vitamin B_6-catalyzed β-decarboxylation and β-dephosphonylation in model systems, 591
Dephosphorylation — Phosphorylation of citrate lyase ligase in *Clostridium sphenoides* and regulation of anaerobic citrate metabolism in other bacteria, 1029
Derivative spectra — Application of rapid-scanning, stopped-flow spectroscopy to the characterization of intermediates formed in the reactions of L- and D-tryptophan and β-mercaptoethanol with *Escherichia coli* tryptophan synthase, 509
Desulfovibrio vulgaris — Amino acid sequence and function of rubredoxin from *Desulfovibrio vulgaris* Miyazaki, 1169
Dextran-sulfate — Rapid method for the isolation of two purified subfractions of high density lipoproteins by differential dextran sulfate-magnesium chloride precipitation, 741
Dictyostelium discoideum — Methyl phosphonate as a ^{31}P-NMR probe for intracellular pH measurements in *Dictyostelium amoebae*, 941
Dietary deficiency — Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159
Differentiation — Regulation of thyroperoxidase, thyroglobulin and iodide levels in sheep thyroid cells by TSH, tumor promoters and epidermal growth factor, 227 — Metabolic changes in undifferentiated and differentiated human colon adenocarcinoma cells studied by multinuclear magnetic resonance spectroscopy, 949
Diffusional limitation — Diffusion-limited kinetics of immobilized myosin ATPase, 833
Dipeptidyl peptidase IV — A kinetic fluorometric assay of dipeptidyl peptidase IV in viable human blood mononuclear cells, 757
Diphtheria toxin — Secondary structure changes of diphtheria toxin interacting with asolectin liposomes: an infrared spectroscopy study, 153
Diversification — Evolution of large subunit rRNA structure. The 3' terminal domain contains elements of secondary structure specific to major phylogenetic groups, 701
DNA bound — The protein kinases tightly bound to DNA are present in normal tissues and in regenerating liver, but strongly decreased in hepatomas, 1157
DNA replication — Mitochondrial and nuclear DNA complementation in the respiratory chain function and defects, 1115
DNA sequence — DNA sequence of the tryptophan synthase genes of *Pseudomonas putida*, 521
DNA synthesis — Semiconservative and unscheduled DNA synthesis on mammalian cells and its modification by glyoxylic compounds, 1203
DnaK and DnaJ proteins — Phosphorylation of glutaminyl-tRNA synthetase and threonyl-tRNA synthetase by the gene products of *dnaK* and *dnaJ* in

Escherichia coli K-12 cells, 1079
cDNA — Expression of rubella virus cDNA encoding the E1 structural porotein, 681
cDNA expression — Structure of cDNA of cytosolic aspartate aminotransferase of chicken and its expression in *E. coli*, 411
cDNA sequence — Complete nucleotide sequence of ovine β-casein cDNA: inter-species comparison, 827
Dogfish — Electrophoretic study of the caseinolytic activity of a pepsin from the dogfish *Scyliorhinus canicula*, 767
Duplex-hairpin interconversion — Hairpin structures in synthetic oligodeoxynucleotides: sequence effects on the duplex-to-hairpin transition, 793

E

Effector phosphorylation — Regulation of transcription of the *glnALG* operon of *Escherichia coli* by protein phosphorylation, 1005
Elastase — Conformational change at the . ive center of serine—proteases upon their binding to α_2-macroglobulin, 325
Elasticity coefficient — Control, regulation and thermodynamics of free-energy transduction, 877
Electron transport — Phosphorylation of citrate lyase ligase in *Clostridium sphenoides* and regulation of anaerobic citrate metabolism in other bacteria, 1029
Electrophoresis — Ribosomal proteins of *Tetrahymena thermophila*. Correlation of one- and two-dimensional electrophoretic migration patterns and characterization of additional small and large subunit proteins, 655 — Hairpin structures in synthetic oligodeoxynucleotides: sequence effects on the duplex-to-hairpin transition, 793
2-D electrophoresis — Tissue-specific mitochondrial proteins, 787
β-Elimination reaction — The activity and reaction specificity of tyrosine phenol-lyase regulated by monovalent cations, 565
Endocytosis — *In vitro* studies of the thyroglobulin degradation pathway: endocytosis and delivery of thyroglobulin to lysosomes, release of thyroglobulin cleavage products — iodotyrosines and iodothyronines, 247
Endogenous lectins — Carbohydrate and glycoprotein specificity of two endogenous cerebellar lectins, 645
Energy profile — Single channels and surface potential of linear gramicidins, 83
Enhancers — Thyroid hormone action and the *erbA* oncogene family, 279
Enolase — Phosphorylation of *Escherichia coli* enolase, 1095
Enterocytes — Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159
Enzyme asymmetry — Sidedness of ceramide-phosphoethanolamine synthesis on rat liver plasma membrane, 373
Enzyme inhibitor — γ-Acetylenic-γ-aminobutyrate as an enzyme-activated inhibitor of D-amino acid transaminase, 505
Enzyme reactor — Preparation and properties of a holo-lactate dehydrogenase enzyme reactor, 613
Epidermal growth factor — Regulation of thyroperoxidase, thyroglobulin and iodide levels in sheep thyroid cells by TSH, tumor promoters and epidermal growth factor, 227
Epoxy-activated Sepharose 4B-acetamide — One-step affinity purification of amidase from mutant strains of *Pseudomonas aeruginosa*, 1177
Equilibrium dialysis — Structural analysis of prokariotic and eukaryotic 5S rRNAs by RNase H, 1183
***erbA* oncogene** — Thyroid hormone action and the *erbA* oncogene family, 279
Erythrocyte ghosts — Membrane structure and dynamics by ^{2}H- and ^{31}P-NMR. Effects of amphipatic peptidic toxins on phospholipid and biological membranes, 117
Erythrocytes — Polyene—sterol interaction and selective toxicity, 37
Escherichia coli — Intracellular predominance of the pyridoxal 5'-phosphate form of aspartate aminotransferase in *Escherichia coli* B and reversible transformation of this form by extracellular substances, 427 — Crosslinking of ribosomal proteins S4, S5, S7, S8, S11, S12 and S18 to domains 1 and 2 of 16S rRNA in the *Escherichia coli* 30S particle, 839 — Utilization of acetate in *Escherichia coli:* structural organization and differential expression of the *ace* operon, 1043 — Phosphorylation of isocitrate lyase in *Escherichia coli*, 1065 — Phosphorylation of *Escherichia coli* enolase, 1095
***Escherichia coli* tryptophan synthase** — Application of rapid-scanning, stopped-flow spectroscopy to the characterization of intermediates formed in the reactions of L- and D-tryptophan and β-mercaptoethanol with *Escherichia coli* tryptophan synthase, 509
ESR simulations — Influence of PAF-acether on lecithin-oriented multibilayers monitored by ESR: interaction of PAF-acether with cholesterol, 105
Eukaryotes — Evolution of large subunit rRNA structure. The 3' terminal domain contains elements of secondary structure specific to major phylogenetic groups, 701
Evolution — DNA sequence of the tryptophan synthase genes of *Pseudomonas putida*, 521 — Evolution of large subunit rRNA structure. The 3' terminal domain contains elements of secondary structure specific to major phylogenetic groups, 701
Exogenous NAD(P)H — The second respiratory chain of *Candida parapsilosis:* a comprehensive study, 887
Expression — Expression of rubella virus cDNA encoding the E1 structural porotein, 681

F

Fast myosin — Lysosomal proteinase-sensitive regions in fast and slow skeletal muscle myosins, 625
Filipin — Interaction of the polyene antibiotic amphotericin B with model membranes: differences

between small and large unilamellar vesicles, 49
Firefly luciferase — Synthesis and pathway of *Luciola mingrelica* firefly luciferase in *Xenopus laevis* frog oocytes and in cell-free systems, 579
Fish — Integration and germ line transmission of foreign genes microinjected into fertilized trout eggs, 857
Fluorescence — Synergistic effects in PR^{3+} transport mediated by ionophores across phosphatidylcholine vesicles, 183
Fluorescence decay measurement — Role of cysteine residues in tryptophanase for monovalent cation-induced activation, 711
Fluorescence depolarization — The membrane fluidity concept revisited by polarized fluorescence spectroscopy on different model membranes containing unsaturated lipids and sterols, 23
Fluorescent probes — The membrane fluidity concept revisited by polarized fluorescence spectroscopy on different model membranes containing unsaturated lipids and sterols, 23
Fluorometric assay — A kinetic fluorometric assay of dipeptidyl peptidase IV in viable human blood mononuclear cells, 757
Formate dehydrogenase — Kinetic isotope effect and the presteady-state kinetics of the reaction catalyzed by the bacterial formate dehydrogenase, 551
FT-IR spectroscopy — Comparative study of myelin proteolipid apoprotein solvation by multilayer membranes of synthetic DPPC and biological lipid extract from bovine brain. An FT-IR investigation, 145
Fusarium moniliforme — Carboxymethylation of an active site glutamic acid residue of ribonuclease F_1 with iodoacetate, 687

G

GABA — Stoichiometry and stability of the adduct formed between human 4-aminobutyrate aminotransferase and 4-aminohex-5-enoate: sequence of a labelled peptide, 491
Gene cloning — Thermostable alanine dehydrogenase of *Bacillus* sp. DSM730: gene cloning, purification, and characterization, 559
Gene disruption — The yeast ATP synthase subunit 4: structure and function, 903
Gene expression — The maximum rate of gene expression is dependent on the downstream context of unfavorable codons, 1219
Gene transfer — Integration and germ line transmission of foreign genes microinjected into fertilized trout eggs, 857
Germ line transmission — Integration and germ line transmission of foreign genes microinjected into fertilized trout eggs, 857
Gla — Interaction of human γ-carboxyglutamic acid domainless prothrombin with phospholipids, 175
Glucose signal — Comparative studies between the glucose-induced phosphorylation signal and the heat shock response in mutants of *Saccharomyces cerevisiae*, 313
Glutamate: glyoxylate aminotransferase — Identity of alanine: glyoxylate aminotransferase with alanine: 2-oxoglutarate aminotransferase in rat liver cytosol, 471
Glutamic acid — Carboxymethylation of an active site glutamic acid residue of ribonuclease F_1 with iodoacetate, 687
Glutamic-aspartate — Thermodynamic bookkeeping: a reinvestigation of proton and dicarboxylic acid binding to aspartate aminotransferase, 405
Glutamine synthetase — Regulation of transcription of the *glnALG* operon of *Escherichia coli* by protein phosphorylation, 1005
Glycoproteins — Carbohydrate and glycoprotein specificity of two endogenous cerebellar lectins, 645
Glyoxals — Semiconservative and unscheduled DNA synthesis on mammalian cells and its modification by glyoxylic compounds, 1203
Glyoxylate cycle — Utilization of acetate in *Escherichia coli:* structural organization and differential expression of the *ace* operon, 1043
Goitrous goats — Studies on the structures of the normal and abnormal goat thyroglobulin genes, 211
Gram-positive bacteria — Metabolite-sensitive, ATP-dependent, protein kinase-catalyzed phosphorylation of HPr, a phosphocarrier protein of the phosphotransferase system in Gram-positive bacteria, 989
Gramicidin A analogs — Gramicidin A analogs: influence of the substitution of the tryptophans by naphthylalanines, 77
Gramicidin A channel — Properties of gramicidin A channels in erythrocyte membranes, 99
Gramicidins — Structure and supramolecular architecture of membrane channel-forming peptides, 11
Grisorixin — Study of a δ–hydroxy ketone-hemiketal equilibrium by 2D-NMR exchange spectroscopy for the antibiotic grisorixin: involvement in cationic transport through membranes, 125
Growth regulating factors — Prediction of "hot spot" in interleukin-2 based on informational spectrum characteristics of growth-regulating factors. Comparison with experimental data, 333
GTP cyclohydrolase I — Human liver GTP cyclohydrolase I: purification and some properties, 343

H

HDL_2 — Rapid method for the isolation of two purified subfractions of high density lipoproteins by differential dextran sulfate-magnesium chloride precipitation, 741
HDL_3 — Rapid method for the isolation of two purified subfractions of high density lipoproteins by differential dextran sulfate-magnesium chloride precipitation, 741
Heat shock — Comparative studies between the glucose-induced phosphorylation signal and the heat shock response in mutants of *Saccharomyces cerevisiae*, 313 — Biochemical properties of the *Escherichia coli* dnaK heat shock protein and its mutant derivatives, 1071
Heat shock proteins — Phosphorylation of glutaminyl-tRNA synthetase and threonyl-tRNA synthetase by

the gene products of *dnaK* and *dnaJ* in *Escherichia coli* K-12 cells, 1079

Hematoporphyrin derivative — Influence of hematoporphyrin derivative concentration, incubation time, temperature during incubation and laser dose fractionation on photosensitivity of normal hemopoietic progenitors or leukemia cells, 819

Hepatoma — The protein kinases tightly bound to DNA are present in normal tissues and in regenerating liver, but strongly decreased in hepatomas, 1157

Histidine ethoxyformylation — The histidines reacting with ethoxyformic anhydride in porcine pancreatic lipase: their relationships with enzyme activity, 1209

Histidines — Molecular biology and bacterial secondary transporters, 969

Histidinol-P aminotransferase — L-Histidinol phosphate aminotransferase from *Salmonella typhimurium*. Kinetic behavior and sequence at the pyridoxal-P binding site, 477

HL 60 — Intracellular alkalinization induced by amphotericin B derivatives in HL-60 leukemia cells, 67

Homocysteine — Roles of *O*- acetyl-L-homoserine sulfhydrylases in micro-organisms, 1125

Homology — *Botulinum* neurotoxin types A and E: isolated light chain breaks down into two fragments. Comparison of their amino acid sequences with tetanus neurotoxin, 1191

Hormonogenic sites — Thyroglobulin structure and function: recent advances, 195

HPLC — Cystathionase: high-performance liquid chromatography. Molecular cloning in λgt11. Nonradioactive immunodetection of fusion protein, 599

HPr — Metabolite-sensitive, ATP-dependent, protein kinase-catalyzed phosphorylation of HPr, a phosphocarrier protein of the phosphotransferase system in Gram-positive bacteria, 989

HT29 — Metabolic changes in undifferentiated and differentiated human colon adenocarcinoma cells studied by multinuclear magnetic resonance spectroscopy, 949

Human breast milk — Comparative study on human milk and serum biotinidase, 1162

Human placental microvilli — Human placental microvilli as a source of antigen for the preparation of a polyclonal antibody directed against the LDL receptor, 379

Human plasma lipoproteins — Binding of thyroxine of human plasma low density lipoprotein through specific interaction with apolipoprotein B (apoB-100), 263

Human serum — Comparative study on human milk and serum biotinidase, 1162

Hybridization-protection method — Crosslinking of ribosomal proteins S4, S5, S7, S8, S11, S12 and S18 to domains 1 and 2 of 16S rRNA in the *Escherichia coli* 30S particle, 839

Hydration layer — Lateral proton conduction along a lipid—water interface layer: a molecular mechanism for the role of hydration water molecules, 33

Hydrogen peroxide — Murexide bleaching: a new direct assay method for characterizing reactive oxygen species, 1229

Hydroxyketone-hemiketal tautomerism — Study of a δ–hydroxy ketone-hemiketal equilibrium by 2D-NMR exchange spectroscopy for the antibiotic grisorixin: involvement in cationic transport through membranes, 125

Hydroxyl radicals — Murexide bleaching: a new direct assay method for characterizing reactive oxygen species, 1229

I

IL-2 — Prediction of "hot spot" in interleukin-2 based on informational spectrum characteristics of growth-regulating factors. Comparison with experimental data, 333

Immobilization methods — Immobilization of aspartate aminotransferase on agarose, 439

Immobilized enzyme — Diffusion-limited kinetics of immobilized myosin ATPase, 833

***In vitro* differentiation of GM-CFC** — Pyruvate kinase during *in vitro* differentiation of GM-CFC haemopoietic precursor in mice: modulation by L-alanine and L-phenylalanine, 763

***in vivo* form** — Intracellular predominance of the pyridoxal 5'-phosphate form of aspartate aminotransferase in *Escherichia coli* B and reversible transformation of this form by extracellular substances, 427

Induction — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497

Informational spectrum — Prediction of "hot spot" in interleukin-2 based on informational spectrum characteristics of growth-regulating factors. Comparison with experimental data, 333

Infrared spectroscopy — Secondary structure changes of diphtheria toxin interacting with asolectin liposomes: an infrared spectroscopy study, 153

Intracellular pH — Intracellular alkalinization induced by amphotericin B derivatives in HL-60 leukemia cells, 67 — Methyl phosphonate as a ^{31}P-NMR probe for intracellular pH measurements in *Dictyostelium amoebae*, 941

Intrinsic fluorescence — Structure-function relationships of mitochondrial ATPase-ATPsynthase using *Schizosaccharomyces pombe* yeast mutants with altered F1 subunits, 931

Intrinsic protein — Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159

Iodoacetate — Carboxymethylation of an active site glutamic acid residue of ribonuclease F_1 with iodoacetate, 687

Ion channels — Structure and supramolecular architecture of membrane channel-forming peptides, 11

Ion transfer — Ionic pores formed by cyclic peptides, 71

Ion translocation — Lateral order in mixed lipid bilayers and its influence on ion translocation by gramicidin:

a model for the structure-function relationship in membranes, 89
Ionic channels — Ionic pores formed by cyclic peptides, 71 — Ionic mitochondrial channels: characteristics and possible role in protein translocation, 963
Ionic permeability — Polyene—sterol interaction and selective toxicity, 37
Ionophores — Synergistic effects in PR^{3+} transport mediated by ionophores across phosphatidylcholine vesicles, 183
Isocitrate dehydrogenase — Isocitrate dehydrogenase kinase/phosphatase, 1051 — Studies of the phosphorylation of *Escherichia coli* isocitrate dehydrogenase. Recognition of the enzyme by isocitrate dehydrogenase kinase/phosphatase and effects of phosphorylation on its structure and properties, 1059
Isocitrate lyase — Phosphorylation of isocitrate lyase in *Escherichia coli*, 1065
Isoforms — Alternative splicing may be responsible fot heterogeneity of thyroglobulin structure, 223
Iturin — Methylation of the antifungal lipopeptide iturin A modifies its interaction with lipids, 111

K

Kinase — Proteolytic cleavage of pyridoxal kinase into two structural domains, 585
Kinase-phosphatase — Isocitrate dehydrogenase kinase/phosphatase, 1051
Kinetic deuterium isotope effects — Application of rapid-scanning, stopped-flow spectroscopy to the characterization of intermediates formed in the reactions of L- and D-tryptophan and β-mercaptoethanol with *Escherichia coli* tryptophan synthase, 509
Kinetics — Kinetic studies of chloride inhibition in aspartate amino-transferase activity, 417 — L-Histidinol phosphate aminotransferase from *Salmonella typhimurium*. Kinetic behavior and sequence at the pyridoxal-P binding site, 477 — Kinetics of soybean lipoxygenase reaction in hydrated reversed micelles, 573

L

L 1210 cells — Influence of hematoporphyrin derivative concentration, incubation time, temperature during incubation and laser dose fractionation on photosensitivity of normal hemopoietic progenitors or leukemia cells, 819
L-Alanine, L-phenylalanine modulation — Pyruvate kinase during *in vitro* differentiation of GM-CFC haemopoietic precursor in mice: modulation by L-alanine and L-phenylalanine, 763
D-Lactate dehydrogenase — Amino acid sequence and function of rubredoxin from *Desulfovibrio vulgaris* Miyazaki, 1169
L(+)-Lactate-dehydrogenase — Presence of an L(+)-lactate dehydrogenase in cells of *Lactobacillus delbrueckii* ssp.*bulgaricus*, 639
Lactobacillus delbrueckii* ssp. *bulgaricus — Presence of an L(+)-lactate dehydrogenase in cells of *Lactobacillus delbrueckii* ssp.*bulgaricus*, 639
Large subunit rRNA — Evolution of large subunit rRNA structure. The 3' terminal domain contains elements of secondary structure specific to major phylogenetic groups, 701
L-Leucine — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497
L-Lysine — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497
L-Norleucine — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497
LDL-receptor antibody — Human placental microvilli as a source of antigen for the preparation of a polyclonal antibody directed against the LDL receptor, 379
Levansucrase — Expression of the MuIFNα7 gene in *Bacillus subtilis* using the levansucrase system, 747
λgt11 cloning — Cystathionase: high-performance liquid chromatography. Molecular cloning in λgt11. Nonradioactive immunodetection of fusion protein, 599
Light chain — *Botulinum* neurotoxin types A and E: isolated light chain breaks down into two fragments. Comparison of their amino acid sequences with tetanus neurotoxin, 1191
Light-harvesting — Protein phosphorylation and control of excitation energy transfer in photosynthetic purple bacteria and cyanobacteria, 1021
Limited proteolysis — Conformational changes in ribosomes upon interaction with elongation factors, 779
Linear gramicidins — Single channels and surface potential of linear gramicidins, 83
Lipid bilayers — The membrane fluidity concept revisited by polarized fluorescence spectroscopy on different model membranes containing unsaturated lipids and sterols, 23
Lipid matrix — Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159
Lipid vesicles — Polyene—sterol interaction and selective toxicity, 37
Lipopeptide-lipid interaction — Methylation of the antifungal lipopeptide iturin A modifies its interaction with lipids, 111
Lipoprotein precipitation — Rapid method for the isolation of two purified subfractions of high density lipoproteins by differential dextran sulfate-magnesium chloride precipitation, 741
Lipoxygenase — Kinetics of soybean lipoxygenase reaction in hydrated reversed micelles, 573
Liver regeneration — The protein kinases tightly bound to DNA are present in normal tissues and in

regenerating liver, but strongly decreased in hepatomas, 1157

Low density lipoproteins (LDL) — Binding of thyroxine of human plasma low density lipoprotein through specific interaction with apolipoprotein B (apoB-100), 263

Lucensomycin — Combined effects exerted by amphotericin B and lucensomycin on cation permeability in a unilamellar vesicle system, 57 — Interaction of lucensomycin with membranes: the role of non-steroidal components, 63

Lysosomes — *In vitro* studies of the thyroglobulin degradation pathway: endocytosis and delivery of thyroglobulin to lysosomes, release of thyroglobulin cleavage products — iodotyrosines and iodothyronines, 247

M

α_2-Macroglobulin — Conformational change at the active center of serine—proteases upon their binding to α_2-macroglobulin, 325

Mannosyl lectins — Carbohydrate and glycoprotein specificity of two endogenous cerebellar lectins, 645

Melittin — Membrane structure and dynamics by ^{2}H- and ^{31}P-NMR. Effects of amphipatic peptidic toxins on phospholipid and biological membranes, 117

Melting curves — Hairpin structures in synthetic oligodeoxynucleotides: sequence effects on the duplex-to-hairpin transition, 793

Membrane conductance — Structure and supramolecular architecture of membrane channel-forming peptides, 11

Membrane fluidity — The membrane fluidity concept revisited by polarized fluorescence spectroscopy on different model membranes containing unsaturated lipids and sterols, 23

Membrane permeability — Combined effects exerted by amphotericin B and lucensomycin on cation permeability in a unilamellar vesicle system, 57 — Methylation of the antifungal lipopeptide iturin A modifies its interaction with lipids, 111

Membrane protein — Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917

Membrane topology — Sidedness of ceramide-phosphoethanolamine synthesis on rat liver plasma membrane, 373

Membranes — Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159 — Ionic mitochondrial channels: characteristics and possible role in protein translocation, 963

Messenger RNA — Thyroglobulin structure and function: recent advances, 195

Metabolic control theory — Control, regulation and thermodynamics of free-energy transduction, 877

Metabolism — Lysine degradation in *Candida*. Characterization and probable role of L-norleucine-leucine, 4-aminobutyrate and δ-aminovalerate: 2-oxoglutarate aminotransferases, 497 — Metabolic changes in undifferentiated and differentiated human colon adenocarcinoma cells studied by multinuclear magnetic resonance spectroscopy, 949

Methylation — Methylation of thymine and uracil with free methyl cations formed due to β-decay of tritiated methane: possible implication in mutagenesis and carcinogenesis, 633 — Methylated amino acids in the proteins of the cytoplasmic ribosome of *Tetrahymena thermophila*, 805

Microsomal antigen — Thyroid autoantigens and their relevance in the pathogenesis of thyroid autoimmunity, 237

Microsomes — Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159

Misreading — Missense and nonsense suppressors can correct frameshift mutations, 729

Missense box mutants — Studies on the $CoQH_2$-cytochrome *c* reductase segment of the respiratory chain of yeast mitochondria, using mutants of the cytochrome *b* split gene, 1145

Mitochondria — The yeast ATP synthase subunit 4: structure and function, 903 — Structure-function relationships of mitochondrial ATPase-ATPsynthase using *Schizosaccharomyces pombe* yeast mutants with altered F1 subunits, 931 — Ionic mitochondrial channels: characteristics and possible role in protein translocation, 963 — Mitochondrial and nuclear DNA complementation in the respiratory chain function and defects, 1115

Mitochondrial diseases — Mitochondrial and nuclear DNA complementation in the respiratory chain function and defects, 1115

Mitochondrial proteins — Tissue-specific mitochondrial proteins, 787

Model membranes — Lateral order in mixed lipid bilayers and its influence on ion translocation by gramicidin: a model for the structure-function relationship in membranes, 89 — Membrane structure and dynamics by ^{2}H- and ^{31}P-NMR. Effects of amphipatic peptidic toxins on phospholipid and biological membranes, 117 — Comparative study of myelin proteolipid apoprotein solvation by multilayer membranes of synthetic DPPC and biological lipid extract from bovine brain. An FT-IR investigation, 145

Modified lactate dehydrogenase — Preparation and properties of a holo-lactate dehydrogenase enzyme reactor, 613

Molecular weight — Human liver GTP cyclohydrolase I: purification and some properties, 343

Monoclonal antibodies — A physical-chemical and immunological comparison shows that native and renatured *Escherichia coli* tryptophan synthase β_2 subunits are identical, 533 — Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917

Monolayer — Lateral proton conduction along a lipid—water interface layer: a molecular mechanism for the

role of hydration water molecules, 33
Monovalent cation binding site — Role of cysteine residues in tryptophanase for monovalent cation-induced activation, 711
Monovalent cation influence — The activity and reaction specificity of tyrosine phenol-lyase regulated by monovalent cations, 565
Mouse interferon — Expression of the MuIFNα7 gene in *Bacillus subtilis* using the levansucrase system, 747
mRNA — Structure of cDNA of cytosolic aspartate aminotransferase of chicken and its expression in *E. coli*, 411
Multienzyme complex — Reversion of *trpA* nonsense mutations by deletion of the chain-termination codons, 721
Mutagenesis — Methylation of thymine and uracil with free methyl cations formed due to β-decay of tritiated methane: possible implication in mutagenesis and carcinogenesis, 633
Mutant strains — One-step affinity purification of amidase from mutant strains of *Pseudomonas aeruginosa*, 1177
Mutation — Mitochondrial and nuclear DNA complementation in the respiratory chain function and defects, 1115
Myelin proteolipid apoprotein — Comparative study of myelin proteolipid apoprotein solvation by multilayer membranes of synthetic DPPC and biological lipid extract from bovine brain. An FT-IR investigation, 145
Myosin (rabbit skeletal muscle) — Diffusion-limited kinetics of immobilized myosin ATPase, 833
Myosin heterogeneity — Cryoenzymic studies on myosin: transient kinetic evidence for two types of head with different ATP binding properties, 363

N

***N*-formyl-methionine** — Amino acid sequence and function of rubredoxin from *Desulfovibrio vulgaris* Miyazaki, 1169
NAD analogs — Preparation and properties of a holo-lactate dehydrogenase enzyme reactor, 613
Natural lecithins — Influence of PAF-acether on lecithin-oriented multibilayers monitored by ESR: interaction of PAF-acether with cholesterol, 105
Nervous system — Carbohydrate and glycoprotein specificity of two endogenous cerebellar lectins, 645
Neurofilaments — A homologous domain between the amyloid protein of Alzheimer's disease and the neurofilament subunits, 853
Neuronal cell — Tissue-specific mitochondrial proteins, 787
Nitrogen regulation — Regulation of transcription of the *glnALG* operon of *Escherichia coli* by protein phosphorylation, 1005
***p*-Nitrophenylacetate** — The histidines reacting with ethoxyformic anhydride in porcine pancreatic lipase: their relationships with enzyme activity, 1209
NMR — Calcium and spermine interaction with phospholipid bilayers: a 15N NMR study, 137 — Synergistic effects in PR^{3+} transport mediated by ionophores across phosphatidylcholine vesicles, 183
NMR-cultured cells — Metabolic changes in undifferentiated and differentiated human colon adenocarcinoma cells studied by multinuclear magnetic resonance spectroscopy, 949
2D-NMR exchange spectroscopy — Study of a δ-hydroxy ketone-hemiketal equilibrium by 2D-NMR exchange spectroscopy for the antibiotic grisorixin: involvement in cationic transport through membranes, 125
^{2}H-, ^{31}P-NMR — Membrane structure and dynamics by ^{2}H- and ^{31}P-NMR. Effects of amphipatic peptidic toxins on phospholipid and biological membranes, 117
^{31}P-NMR — Methyl phosphonate as a ^{31}P-NMR probe for intracellular pH measurements in *Dictyostelium amoebae*, 941
Non-equilibrium thermodynamics — Control, regulation and thermodynamics of free-energy transduction, 877
Non-radioactive hybridization probe — Simple chemical synthesis and hybridization properties of non-radioactive DNA probes, 319
Normal progenitors — Influence of hematoporphyrin derivative concentration, incubation time, temperature during incubation and laser dose fractionation on photosensitivity of normal hemopoietic progenitors or leukemia cells, 819
Nuclei — The protein kinases tightly bound to DNA are present in normal tissues and in regenerating liver, but strongly decreased in hepatomas, 1157
Nucleotide insertion — Missense and nonsense suppressors can correct frameshift mutations, 729
Nucleotide sequence — Structure of cDNA of cytosolic aspartate aminotransferase of chicken and its expression in *E. coli*, 411

O

***O*- and *N*- glycosylations** — Comparative study on human milk and serum biotinidase, 1162
***O*- acetylhomoserine** — Roles of *O*- acetyl-L-homoserine sulfhydrylases in micro-organisms, 1125
Oligodeoxynucleotides — Hairpin structures in synthetic oligodeoxynucleotides: sequence effects on the duplex-to-hairpin transition, 793
Oligomycin sensitivity conferring protein — Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917
Oriented multibilayers — Influence of PAF-acether on lecithin-oriented multibilayers monitored by ESR: interaction of PAF-acether with cholesterol, 105
Ovine β-casein — Complete nucleotide sequence of ovine β-casein cDNA: inter-species comparison, 827
Oxidative phosphorylation — Mitochondrial and nuclear DNA complementation in the respiratory chain function and defects, 1115

P

p-Nitrophenylacetate — The histidines reacting with ethoxyformic anhydride in porcine pancreatic lipase: their relationships with enzyme activity, 1209

^{31}P-NMR — Methyl phosphonate as a ^{31}P-NMR probe for intracellular pH measurements in *Dictyostelium amoebae*, 941

P-pyridoxyl peptide — L-Histidinol phosphate aminotransferase from *Salmonella typhimurium*. Kinetic behavior and sequence at the pyridoxal-P binding site, 477

PAF-acether — Influence of PAF-acether on lecithin-oriented multibilayers monitored by ESR: interaction of PAF-acether with cholesterol, 105

Penetration — Interaction of human γ-carboxyglutamic acid domainless prothrombin with phospholipids, 175

Pepsin — Electrophoretic study of the caseinolytic activity of a pepsin from the dogfish *Scyliorhinus canicula*, 767

Peptaibols — Structure and supramolecular architecture of membrane channel-forming peptides, 11

Peptide-lipid interaction — Thermodynamics and kinetics of incorporation into a membrane, 3

Peptide synthesis — Gramicidin A analogs: influence of the substitution of the tryptophans by naphthylalanines, 77 — Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917

Peptidoglycan — γ-Acetylenic-γ-aminobutyrate as an enzyme-activated inhibitor of D-amino acid transaminase, 505

Peroxisomes — Identity of alanine: glyoxylate aminotransferase with alanine: 2-oxoglutarate aminotransferase in rat liver cytosol, 471

Phage DNA — Involvement of ion channels in the transport of phage DNA through the cytoplasmic membrane of *E. coli*, 167

Phase behavior — Lateral order in mixed lipid bilayers and its influence on ion translocation by gramicidin: a model for the structure-function relationship in membranes, 89

Phosphatidyl choline large and small unilamellar vesicles — Interaction of the polyene antibiotic amphotericin B with model membranes: differences between small and large unilamellar vesicles, 49

Phosphoamino acid — Protein phosphorylation in purple photosynthesic bacteria, 1039

Phosphohistidine — Phosphorylation of isocitrate lyase in *Escherichia coli*, 1065

Phospholipid bilayers — Thermodynamics and kinetics of incorporation into a membrane, 3

Phospholipids — Lateral proton conduction along a lipid—water interface layer: a molecular mechanism for the role of hydration water molecules, 33 — Interaction of lucensomycin with membranes: the role of non-steroidal components, 63 — Calcium and spermine interaction with phospholipid bilayers: a 15N NMR study, 137 — Interaction of human γ-carboxyglutamic acid domainless prothrombin with phospholipids, 175

Phosphonate — Methyl phosphonate as a ^{31}P-NMR probe for intracellular pH measurements in *Dictyostelium amoebae*, 941

Phosphopolypeptides — Protein phosphorylation in purple photosynthesic bacteria, 1039

Phosphoproteins — Studies in pig heart tissue on various 60 000 Da phosphoproteins, 351

Phosphorylation — Phosphorylation of citrate lyase ligase in *Clostridium sphenoides* and regulation of anaerobic citrate metabolism in other bacteria, 1029 — Isocitrate dehydrogenase kinase/phosphatase, 1051 — Studies of the phosphorylation of *Escherichia coli* isocitrate dehydrogenase. Recognition of the enzyme by isocitrate dehydrogenase kinase/phosphatase and effects of phosphorylation on its structure and properties, 1059 — Phosphorylation of isocitrate lyase in *Escherichia coli*, 1065 — Phosphorylation of *Escherichia coli* enolase, 1095

Phosphorylation of glutaminyl-tRNA synthetase — Phosphorylation of glutaminyl-tRNA synthetase and threonyl-tRNA synthetase by the gene products of *dnaK* and *dnaJ* in *Escherichia coli* K-12 cells, 1079

Phosphorylation of threonyl-tRNA synthetase — Phosphorylation of glutaminyl-tRNA synthetase and threonyl-tRNA synthetase by the gene products of *dnaK* and *dnaJ* in *Escherichia coli* K-12 cells, 1079

Phosphotransferase system — Metabolite-sensitive, ATP-dependent, protein kinase-catalyzed phosphorylation of HPr, a phosphocarrier protein of the phosphotransferase system in Gram-positive bacteria, 989

Photodynamic therapy — Influence of hematoporphyrin derivative concentration, incubation time, temperature during incubation and laser dose fractionation on photosensitivity of normal hemopoietic progenitors or leukemia cells, 819

Photosynthesis — Protein phosphorylation and control of excitation energy transfer in photosynthetic purple bacteria and cyanobacteria, 1021

Photosystem — Protein phosphorylation and control of excitation energy transfer in photosynthetic purple bacteria and cyanobacteria, 1021

Phycobilisome — Protein phosphorylation and control of excitation energy transfer in photosynthetic purple bacteria and cyanobacteria, 1021

Pig heart mitochondria — Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917

pK_a — Calcium and spermine interaction with phospholipid bilayers: a 15N NMR study, 137

Plasma membrane — Sidedness of ceramide-phosphoethanolamine synthesis on rat liver plasma membrane, 373

Plasmin — Conformational change at the active center of serine—proteases upon their binding to α_2-macroglobulin, 325

Polyene antibiotics — Interaction of the polyene antibiotic amphotericin B with model membranes: differences between small and large unilamellar vesicles, 49

Polyphosphates — Polyphosphate as a source of phosphoryl group in protein modification in the

archaebacterium *Sulfolobus acidocaldarius*, 1089
Polyunsaturated fatty acids — Nutrition and biomembranes: additional information concerning the incidence of dietary polyunsaturated fatty acids on membrane organization and biological activity, 159
Porcine pancreatic lipase — The histidines reacting with ethoxyformic anhydride in porcine pancreatic lipase: their relationships with enzyme activity, 1209
Pore formation — Thermodynamics and kinetics of incorporation into a membrane, 3
Porins — Structure and supramolecular architecture of membrane channel-forming peptides, 11
Presteady-state kinetics — Kinetic isotope effect and the presteady-state kinetics of the reaction catalyzed by the bacterial formate dehydrogenase, 551
Primary isotope effect — Kinetic isotope effect and the presteady-state kinetics of the reaction catalyzed by the bacterial formate dehydrogenase, 551
Prokaryotes — Evolution of large subunit rRNA structure. The 3' terminal domain contains elements of secondary structure specific to major phylogenetic groups, 701
Protein biosynthesis — Ionic mitochondrial channels: characteristics and possible role in protein translocation, 963
Protein conformational changes — Metabolite-sensitive, ATP-dependent, protein kinase-catalyzed phosphorylation of HPr, a phosphocarrier protein of the phosphotransferase system in Gram-positive bacteria, 989
Protein engineering — Structural analysis of human skeletal β-tropomyosin produced in *E. coli*, 307
Protein ion exchanges — Thermodynamic bookkeeping: a reinvestigation of proton and dicarboxylic acid binding to aspartate aminotransferase, 405
Protein kinase — Metabolite-sensitive, ATP-dependent, protein kinase-catalyzed phosphorylation of HPr, a phosphocarrier protein of the phosphotransferase system in Gram-positive bacteria, 989 — Protein phosphorylation in purple photosynthesic bacteria, 1039 — Protein kinase activities in cell-free extracts of *Streptomyces coelicolor* A3(2), 1101 — The protein kinases tightly bound to DNA are present in normal tissues and in regenerating liver, but strongly decreased in hepatomas, 1157
Protein labeling — Molecular biology and bacterial secondary transporters, 969
Protein phosphorylation — Protein phosphorylation in the bacterial chemotaxis system, 1013 — Protein phosphorylation and control of excitation energy transfer in photosynthetic purple bacteria and cyanobacteria, 1021 — Utilization of acetate in *Escherichia coli:* structural organization and differential expression of the *ace* operon, 1043 — Polyphosphate as a source of phosphoryl group in protein modification in the archaebacterium *Sulfolobus acidocaldarius*, 1089 — Protein kinase activities in cell-free extracts of *Streptomyces coelicolor* A3(2), 1101
Protein secondary structure — Expression of the MuIFNα7 gene in *Bacillus subtilis* using the levansucrase system, 747
Protein structure — Thyroglobulin structure and function: recent advances, 195 — Epitope of OSCP oligomycin sensitivity conferring protein exposed at the surface of the mitochondrial ATPase-ATPsynthase complex, 917
Protein titrations — Thermodynamic bookkeeping: a reinvestigation of proton and dicarboxylic acid binding to aspartate aminotransferase, 405
Proteins — Ribosomal proteins of *Tetrahymena thermophila*. Correlation of one- and two-dimensional electrophoretic migration patterns and characterization of additional small and large subunit proteins, 655 — Methylated amino acids in the proteins of the cytoplasmic ribosome of *Tetrahymena thermophila*, 805
Proteolysis — *In vitro* studies of the thyroglobulin degradation pathway: endocytosis and delivery of thyroglobulin to lysosomes, release of thyroglobulin cleavage products — iodotyrosines and iodothyronines, 247 — Proteolytic cleavage of pyridoxal kinase into two structural domains, 585 — Lysosomal proteinase-sensitive regions in fast and slow skeletal muscle myosins, 625
Prothrombin — Interaction of human γ-carboxyglutamic acid domainless prothrombin with phospholipids, 175
Proton — Lateral proton conduction along a lipid—water interface layer: a molecular mechanism for the role of hydration water molecules, 33
Proton counter-transport — Synergistic effects in PR^{3+} transport mediated by ionophores across phosphatidylcholine vesicles, 183
Pseudomonas — DNA sequence of the tryptophan synthase genes of *Pseudomonas putida*, 521
Pseudomonas aeruginosa — One-step affinity purification of amidase from mutant strains of *Pseudomonas aeruginosa*, 1177
Pulsatility — Physiological regulation of thyrotropin, 293
Purification — Thermostable alanine dehydrogenase of *Bacillus* sp. DSM730: gene cloning, purification, and characterization, 559
Pyridoxal — Proteolytic cleavage of pyridoxal kinase into two structural domains, 585
Pyridoxal phosphate — Conformational changes in the active site of tryptophanase revealed by the circular dichroism method, 545 — γ-Acetylenic-γ-aminobutyrate as an enzyme-activated inhibitor of D-amino acid transaminase, 505
Pyridoxal 5'-phosphate — An appreciation of Professor Alexander E. Braunstein. The discovery and scope of enzymatic transamination, 387 — Immobilization of aspartate aminotransferase on agarose, 439 — Pyridoxal phosphate-dependent reactions in water pools, 461 — DNA sequence of the tryptophan synthase genes of *Pseudomonas putida*, 521
Pyridoxal 5'-phosphate form — Intracellular predominance of the pyridoxal 5'-phosphate form of aspartate aminotransferase in *Escherichia coli* B and reversible transformation of this form by extracellular substances, 427
Pyridoxamine 5'-phosphate. — An appreciation of Professor Alexander E. Braunstein. The discovery and

scope of enzymatic transamination, 387

R

R. rubrum — Protein phosphorylation in purple photosynthesic bacteria, 1039
Rapid-scanning stopped-flow UV-visible spectroscopy — Application of rapid-scanning, stopped-flow spectroscopy to the characterization of intermediates formed in the reactions of L- and D-tryptophan and β-mercaptoethanol with *Escherichia coli* tryptophan synthase, 509
Rat growth hormone — Thyroid hormone nuclear receptors and their role in the metabolic action of the hormone, 269
Rat liver — Identity of alanine: glyoxylate aminotransferase with alanine: 2-oxoglutarate aminotransferase in rat liver cytosol, 471
Rate-limiting step — Control, regulation and thermodynamics of free-energy transduction, 877
Receptor DNA binding — Thyroid hormone nuclear receptors and their role in the metabolic action of the hormone, 269
Receptor purification — Purification of basic fibroblast growth factor receptors from bovine brain, 865
Renaturation — A physical-chemical and immunological comparison shows that native and renatured *Escherichia coli* tryptophan synthase β_2 subunits are identical, 533
Replication — Biochemical properties of the *Escherichia coli* dnaK heat shock protein and its mutant derivatives, 1071
Resonant recognition model — Prediction of "hot spot" in interleukin-2 based on informational spectrum characteristics of growth-regulating factors. Comparison with experimental data, 333
Reversed micelles — Pyridoxal phosphate-dependent reactions in water pools, 461 — Kinetics of soybean lipoxygenase reaction in hydrated reversed micelles, 573
Reversible transformation — Intracellular predominance of the pyridoxal 5'-phosphate form of aspartate aminotransferase in *Escherichia coli* B and reversible transformation of this form by extracellular substances, 427
Ribonuclease F_1 — Carboxymethylation of an active site glutamic acid residue of ribonuclease F_1 with iodoacetate, 687
Ribosomal 30S particle — Crosslinking of ribosomal proteins S4, S5, S7, S8, S11, S12 and S18 to domains 1 and 2 of 16S rRNA in the *Escherichia coli* 30S particle, 839
Ribosome — Ribosomal proteins of *Tetrahymena thermophila*. Correlation of one- and two-dimensional electrophoretic migration patterns and characterization of additional small and large subunit proteins, 655 — Protein-RNA crosslinking in the subunits of the cytoplasmic ribosome of *Tetrahymena thermophila*, 667 — Methylated amino acids in the proteins of the cytoplasmic ribosome of *Tetrahymena thermophila*, 805 — Identification of proteins crosslinked to RNA in 40S ribosomal subunits of *Saccharomyces cerevisiae*, 1199
Ribosome-elongation factor complexes — Conformational changes in ribosomes upon interaction with elongation factors, 779
RNA-protein chemical crosslinking — Crosslinking of ribosomal proteins S4, S5, S7, S8, S11, S12 and S18 to domains 1 and 2 of 16S rRNA in the *Escherichia coli* 30S particle, 839
mRNA — Structure of cDNA of cytosolic aspartate aminotransferase of chicken and its expression in *E. coli*, 411
σ^{54}-RNA polymerase — Regulation of transcription of the *glnALG* operon of *Escherichia coli* by protein phosphorylation, 1005
5S rRNA-deoxyoligomer hybrids — Structural analysis of prokariotic and eukaryotic 5S rRNAs by RNase H, 1183
16S rRNA tertiary structure — Crosslinking of ribosomal proteins S4, S5, S7, S8, S11, S12 and S18 to domains 1 and 2 of 16S rRNA in the *Escherichia coli* 30S particle, 839
tRNA — Missense and nonsense suppressors can correct frameshift mutations, 729
RNase H — Structural analysis of prokariotic and eukaryotic 5S rRNAs by RNase H, 1183
Rubella virus — Expression of rubella virus cDNA encoding the E1 structural porotein, 681
Rubredoxin — Amino acid sequence and function of rubredoxin from *Desulfovibrio vulgaris* Miyazaki, 1169

S

Salmo gairdneri — Integration and germ line transmission of foreign genes microinjected into fertilized trout eggs, 857
Sarcolemmal membrane — Studies in pig heart tissue on various 60 000 Da phosphoproteins, 351
SAXS — Role of cysteine residues in tryptophanase for monovalent cation-induced activation, 711
Scavengers — Murexide bleaching: a new direct assay method for characterizing reactive oxygen species, 1229
Schizosaccharomyces pombe — Structure-function relationships of mitochondrial ATPase-ATPsynthase using *Schizosaccharomyces pombe* yeast mutants with altered F1 subunits, 931
Secondary structure — Secondary structure changes of diphtheria toxin interacting with asolectin liposomes: an infrared spectroscopy study, 153 — Evolution of large subunit rRNA structure. The 3' terminal domain contains elements of secondary structure specific to major phylogenetic groups, 701
Secretion — Expression of the MuIFNα7 gene in *Bacillus subtilis* using the levansucrase system, 747
Sensitivity analysis — Control, regulation and thermodynamics of free-energy transduction, 877
Sequence — *Botulinum* neurotoxin types A and E: isolated light chain breaks down into two fragments. Comparison of their amino acid sequences with tetanus neurotoxin, 1191
Sequence analysis — Prediction of "hot spot" in

interleukin-2 based on informational spectrum characteristics of growth-regulating factors. Comparison with experimental data, 333
Side transamination reaction — The activity and reaction specificity of tyrosine phenol-lyase regulated by monovalent cations, 565
Single channel — Gramicidin A analogs: influence of the substitution of the tryptophans by naphthylalanines, 77 — Single channels and surface potential of linear gramicidins, 83
Site-directed mutagenesis — Molecular biology and bacterial secondary transporters, 969
Slow myosin — Lysosomal proteinase-sensitive regions in fast and slow skeletal muscle myosins, 625
Soybean — Kinetics of soybean lipoxygenase reaction in hydrated reversed micelles, 573
Spermine — Calcium and spermine interaction with phospholipid bilayers: a 15N NMR study, 137
Sphingomyelin — Sidedness of ceramide-phosphoethanolamine synthesis on rat liver plasma membrane, 373
Splicing accuracy —Alternative splicing may be responsible fot heterogeneity of thyroglobulin structure, 223
Steroid hormone receptors — Thyroid hormone action and the *erbA* oncogene family, 279
Sterols — The membrane fluidity concept revisited by polarized fluorescence spectroscopy on different model membranes containing unsaturated lipids and sterols, 23 — Polyene—sterol interaction and selective toxicity, 37
Streptavidin—alkaline phosphatase — Simple chemical synthesis and hybridization properties of non-radioactive DNA probes, 319
Streptococcal protein kinases — Carbohydrate uptake in the oral pathogen *Streptococcus mutans:* mechanisms and regulation by protein phosphorylation, 997
Streptococcus mutans — Carbohydrate uptake in the oral pathogen *Streptococcus mutans:* mechanisms and regulation by protein phosphorylation, 997
Streptomyces coelicolor **A3(2)** — Protein kinase activities in cell-free extracts of *Streptomyces coelicolor* A3(2), 1101
Structural domains — Proteolytic cleavage of pyridoxal kinase into two structural domains, 585
Structure analysis — Structural analysis of human skeletal β-tropomyosin produced in *E. coli*, 307
Structure-function relationship — Lateral order in mixed lipid bilayers and its influence on ion translocation by gramicidin: a model for the structure-function relationship in membranes, 89
Subunit 4 — The yeast ATP synthase subunit 4: structure and function, 903
Subunit structure — Human liver GTP cyclohydrolase I: purification and some properties, 343
Sugar cotransport — Molecular biology and bacterial secondary transporters, 969
Sugar transport — Metabolite-sensitive, ATP-dependent, protein kinase-catalyzed phosphorylation of HPr, a phosphocarrier protein of the phosphotransferase system in Gram-positive bacteria, 989
Sugar uptake regulation — Carbohydrate uptake in the oral pathogen *Streptococcus mutans:* mechanisms and regulation by protein phosphorylation, 997
Sulfhydrylase — Roles of *O*- acetyl-L-homoserine sulfhydrylases in micro-organisms, 1125
Superoxide — Murexide bleaching: a new direct assay method for characterizing reactive oxygen species, 1229
Surface potential — Single channels and surface potential of linear gramicidins, 83

T

Tetanus neurotoxin — *Botulinum* neurotoxin types A and E: isolated light chain breaks down into two fragments. Comparison of their amino acid sequences with tetanus neurotoxin, 1191
Tetrahymena — Ribosomal proteins of *Tetrahymena thermophila*. Correlation of one- and two-dimensional electrophoretic migration patterns and characterization of additional small and large subunit proteins, 655 — Protein-RNA crosslinking in the subunits of the cytoplasmic ribosome of *Tetrahymena thermophila*, 667 — Methylated amino acids in the proteins of the cytoplasmic ribosome of *Tetrahymena thermophila*, 805
Thermodynamics — Hairpin structures in synthetic oligodeoxynucleotides: sequence effects on the duplex-to-hairpin transition, 793
Thermostable enzyme — Thermostable alanine dehydrogenase of *Bacillus* sp. DSM730: gene cloning, purification, and characterization, 559
Thiol-type enzyme — Comparative study on human milk and serum biotinidase, 1162
Thymine — Methylation of thymine and uracil with free methyl cations formed due to β-decay of tritiated methane: possible implication in mutagenesis and carcinogenesis, 633
Thyroglobulin — Thyroglobulin structure and function: recent advances, 195 — Studies on the structures of the normal and abnormal goat thyroglobulin genes, 211 — Alternative splicing may be responsible fot heterogeneity of thyroglobulin structure, 223 — *In vitro* studies of the thyroglobulin degradation pathway: endocytosis and delivery of thyroglobulin to lysosomes, release of thyroglobulin cleavage products — iodotyrosines and iodothyronines, 247
Thyroglobulin gene — Studies on the structures of the normal and abnormal goat thyroglobulin genes, 211
Thyroid — Thyroid autoantigens and their relevance in the pathogenesis of thyroid autoimmunity, 237
Thyroid hormone action — Thyroid hormone nuclear receptors and their role in the metabolic action of the hormone, 269
Thyroid hormone receptors — Thyroid hormone nuclear receptors and their role in the metabolic action of the hormone, 269 — Thyroid hormone action and the *erbA* oncogene family, 279
Thyroid hormones — Thyroglobulin structure and function: recent advances, 195 — *In vitro* studies of the thyroglobulin degradation pathway: endocytosis and delivery of thyroglobulin to lysosomes, release of thyroglobulin cleavage products — iodotyrosines and iodothyronines, 247
Thyroid hormones (thyroxine) — Binding of

thyroxine of human plasma low density lipoprotein through specific interaction with apolipoprotein B (apoB-100), 263
Thyroid stimulating antibodies — Thyroid autoantigens and their relevance in the pathogenesis of thyroid autoimmunity, 237
Thyroperoxidase — Regulation of thyroperoxidase, thyroglobulin and iodide levels in sheep thyroid cells by TSH, tumor promoters and epidermal growth factor, 227
Tissue specificity — Tissue-specific mitochondrial proteins, 787
Tonoplast ATPase — Inhibition of the vacuolar ATPase of *Acer pseudoplatanus* cells by vanadate, 813
Transaminase — Thermodynamic bookkeeping: a reinvestigation of proton and dicarboxylic acid binding to aspartate aminotransferase, 405 — L-Histidinol phosphate aminotransferase from *Salmonella typhimurium*. Kinetic behavior and sequence at the pyridoxal-P binding site, 477
Transcriptional control — Thyroid hormone action and the *erbA* oncogene family, 279
Transient kinetics — Cryoenzymic studies on myosin: transient kinetic evidence for two types of head with different ATP binding properties, 363
Translation — The maximum rate of gene expression is dependent on the downstream context of unfavorable codons, 1219
Translation kinetics — Synthesis and pathway of *Luciola mingrelica* firefly luciferase in *Xenopus laevis* frog oocytes and in cell-free systems, 579
Translocation — Missense and nonsense suppressors can correct frameshift mutations, 729
Transport — Involvement of ion channels in the transport of phage DNA through the cytoplasmic membrane of *E. coli*, 167
Trehalose enzymes — Comparative studies between the glucose-induced phosphorylation signal and the heat shock response in mutants of *Saccharomyces cerevisiae*, 313
4-Triazolylpyrimidin-2-ones — Simple chemical synthesis and hybridization properties of non-radioactive DNA probes, 319
Tributyrylglycerol emulsion — The histidines reacting with ethoxyformic anhydride in porcine pancreatic lipase: their relationships with enzyme activity, 1209
tRNA — Missense and nonsense suppressors can correct frameshift mutations, 729
Tropomyosin — Structural analysis of human skeletal β-tropomyosin produced in *E. coli*, 307
trpA — Missense and nonsense suppressors can correct frameshift mutations, 729
Trypsin — Conformational change at the active center of serine—proteases upon their binding to α_2-macroglobulin, 325
Tryptophan synthase — DNA sequence of the tryptophan synthase genes of *Pseudomonas putida*, 521 — A physical-chemical and immunological comparison shows that native and renatured *Escherichia coli* tryptophan synthase β_2 subunits are identical, 533
Tryptophan synthetase — Reversion of *trpA* nonsense mutations by deletion of the chain-termination codons, 721
Tryptophanase — Conformational changes in the active site of tryptophanase revealed by the circular dichroism method, 545 — Role of cysteine residues in tryptophanase for monovalent cation-induced activation, 711
TSH — Physiological regulation of thyrotropin, 293
Tumor promoters — Regulation of thyroperoxidase, thyroglobulin and iodide levels in sheep thyroid cells by TSH, tumor promoters and epidermal growth factor, 227
Two-component regulatory systems — Protein phosphorylation in the bacterial chemotaxis system, 1013
Tyrosine kinase — Protein phosphorylation in purple photosynthesic bacteria, 1039
Tyrosine phenol-lyase — The activity and reaction specificity of tyrosine phenol-lyase regulated by monovalent cations, 565

U

Unilamellar vesicles — Combined effects exerted by amphotericin B and lucensomycin on cation permeability in a unilamellar vesicle system, 57 — Interaction of lucensomycin with membranes: the role of non-steroidal components, 63
Unsaturated lipids — The membrane fluidity concept revisited by polarized fluorescence spectroscopy on different model membranes containing unsaturated lipids and sterols, 23
Unscheduled DNA synthesis — Semiconservative and unscheduled DNA synthesis on mammalian cells and its modification by glyoxylic compounds, 1203
Uracil — Methylation of thymine and uracil with free methyl cations formed due to β-decay of tritiated methane: possible implication in mutagenesis and carcinogenesis, 633

V

v-*src* products — Studies in pig heart tissue on various 60 000 Da phosphoproteins, 351
Vanadate — Inhibition of the vacuolar ATPase of *Acer pseudoplatanus* cells by vanadate, 813
Vigabatrin — Stoichiometry and stability of the adduct formed between human 4-aminobutyrate aminotransferase and 4-aminohex-5-enoate: sequence of a labelled peptide, 491
Vitamin B_6 — Comparative mechanisms of vitamin B_6-catalyzed β-decarboxylation and β-dephosphonylation in model systems, 591

X

X-ray induced DNA synthesis — Semiconservative and unscheduled DNA synthesis on mammalian cells and its modification by glyoxylic compounds, 1203
***Xenopus laevis* frog oocytes** — Synthesis and

pathway of *Luciola mingrelica* firefly luciferase in *Xenopus laevis* frog oocytes and in cell-free systems, 579

Y

Yeast — The yeast ATP synthase subunit 4: structure and function, 903 — Identification of proteins crosslinked to RNA in 40S ribosomal subunits of *Saccharomyces cerevisiae*, 1199

Yeast mitochondria evolution — The second respiratory chain of *Candida parapsilosis:* a comprehensive study, 887

Yeast mutants — Comparative studies between the glucose-induced phosphorylation signal and the heat shock response in mutants of *Saccharomyces cerevisiae*, 313 — Structure-function relationships of mitochondrial ATPase-ATPsynthase using *Schizosaccharomyces pombe* yeast mutants with altered F1 subunits, 931